ISSN (Online) 2394-6849

International Journal of Engineering Research in Electronics and Communication Engineering (IJERECE)

Vol 12, Issue 05, May 2025

Comprehensive Review of Autonomous Vehicles: Sensing, Mapping, Planning, and Human-Machine Interaction

[1] Devyansh Tomar, [2] Ayush Agarwal, [3] Dr. T. Rajasekaran

[1] Department of Mechanical Engineering, SRM Institute of Science and Technology, Kattankulathur, Chennai, India
Email ID: [1] dt1808@srmist.edu.in, [2] aa3588@srmist.edu.in, [3] rajasekt1@srmist.edu.in

***Abstract*— This literature review provides a comprehensive analysis of recent advancements in autonomous vehicles, focusing on four critical aspects: Sensing and Perception Systems, Localization and Mapping, Motion Planning and Control, and Human-Machine Interaction. Autonomous vehicles rely on sophisticated sensing and perception systems, including LIDAR, cameras, and RADAR, to interpret their environment accurately. This review explores the integration of these sensors and emerging sensor fusion techniques that enhance environmental perception. Localization and Mapping are crucial for precise navigation, and this review discusses state-of-the-art methodologies, such as Simultaneous Localization and Mapping (SLAM) and high-definition map integration. Motion Planning and Control algorithms ensure safe and efficient vehicle maneuvering by addressing challenges related to dynamic environments, collision avoidance, and real-time decision-making. Human-Machine Interaction is examined to understand user experience, safety, and ethical considerations, highlighting the importance of intuitive interfaces and driver monitoring systems. This literature review synthesizes findings from 50 research papers, providing a holistic understanding of the technological landscape and identifying future research directions to advance autonomous vehicle technology.**

***Index Terms*— Human-machine interface, autonomous vehicles, automated driving systems, performance, reliability.**

I. INTRODUCTION

Autonomous vehicles (AVs) have emerged as a transformative technology, promising to revolutionize transportation by enhancing safety, efficiency, and user convenience [1]. As urbanization and traffic congestion continue to increase globally, autonomous driving systems offer a viable solution to address these challenges by reducing human errors, optimizing traffic flow [2]. According to recent industry reports, the global autonomous vehicle market is projected to grow exponentially, driven by advancements in artificial intelligence, sensor technology, and regulatory support. [3]

Despite the promising potential, the development and deployment of autonomous vehicles pose significant challenges across multiple domains, including environmental perception, accurate localization, real-time motion planning, and effective human-machine interaction [4]. These challenges necessitate a comprehensive understanding of cutting-edge technologies, methodologies, and algorithms to achieve robust and reliable autonomous driving systems [1].

This literature review aims to provide an in-depth analysis of the state-of-the-art research and developments in autonomous vehicles, focusing on four critical areas:

1. **Sensing and Perception Systems** – Exploring the integration of advanced sensors, sensor fusion techniques, and perception algorithms that enable vehicles to understand and interpret their surroundings [5].
2. **Localization and Mapping** – Examining approaches to precise vehicle localization and mapping, including Simultaneous Localization and Mapping (SLAM), high-definition maps, and GPS integration [6].
3. **Motion Planning and Control** – Analyzing motion planning algorithms and control strategies to ensure safe, efficient, and smooth vehicle navigation in dynamic and uncertain environments [7].
4. **Human-Machine Interaction** – Investigating user experience, safety, and ethical implications of autonomous driving systems, emphasizing driver monitoring and intuitive interface designs [8].

This review synthesizes findings from 50 peer-reviewed papers, providing a holistic perspective on technological advancements and identifying research gaps to guide future innovations in autonomous vehicles.

II. SENSING AND PERCEPTION SYSTEMS

Sensing and perception systems are the cornerstone of autonomous vehicles, enabling them to understand and interpret their surrounding environment accurately [9]. These systems provide the foundational data required for localization, mapping, obstacle detection, and motion planning, ensuring safe and efficient navigation [10]. Autonomous vehicles rely on a combination of sensors, including LIDAR, cameras, RADAR, and Ultrasonic sensors, each contributing unique capabilities and perspectives [11].

A. LIDAR (Light Detection and Ranging)

LIDAR sensors use laser beams to measure distances by calculating the time taken for the light to bounce back after hitting an object [12]. These sensors generate high-resolution 3D point clouds that accurately represent the environment, allowing the vehicle to detect obstacles, determine their size and shape, and assess spatial relationships [13]. LIDAR's high accuracy and depth perception make it indispensable for precise localization and mapping. Recent advancements have

ISSN (Online) 2394-6849

International Journal of Engineering Research in Electronics and Communication Engineering (IJERECE)

Vol 12, Issue 05, May 2025

focused on enhancing LIDAR systems' resolution, range, and cost-efficiency [6]. Solid-state LIDAR technologies have emerged as a promising alternative to traditional mechanical systems due to their increased durability and reduced manufacturing costs [14]. Additionally, Frequency-Modulated Continuous Wave (FMCW) LIDAR is gaining traction for its capability to measure velocity along with distance, improving motion detection accuracy and enabling more robust obstacle tracking [15]. Despite these benefits, LIDAR systems face challenges, such as performance degradation in adverse weather conditions, including heavy rain, fog, and snow [16]. Ongoing research aims to enhance LIDAR's resilience to environmental interferences by developing advanced signal processing algorithms and sensor fusion techniques [17].

B. Cameras

Cameras play a crucial role in autonomous perception by capturing visual data for object recognition, lane detection, and traffic sign identification. Utilizing monocular, stereo, and omnidirectional cameras, autonomous systems achieve comprehensive situational awareness [18]. Monocular cameras provide color and texture information, whereas stereo cameras calculate depth by analyzing disparities between two image perspectives [19]. Omnidirectional cameras offer 360-degree coverage, reducing blind spots and enhancing environmental awareness [20]. Recent advancements in Deep Learning have significantly improved computer vision capabilities, enabling accurate object detection, classification, and semantic segmentation [21]. Convolutional Neural Networks (CNNs) and Transformer-based architectures are widely used to interpret complex scenes and recognize pedestrians, vehicles, and road signs [22]. Additionally, Vision Transformers (ViTs) have shown remarkable performance in capturing long-range dependencies and contextual information, enhancing visual perception in dynamic environments [23]. However, cameras are sensitive to varying lighting conditions, including glare, shadows, and low-light scenarios [24]. To overcome these limitations, researchers are exploring Event-based cameras that capture changes in the scene rather than static frames, providing high temporal resolution and enhanced dynamic range [25]. Integrating these advanced imaging technologies with Deep Learning models further improves perception robustness and accuracy [26].

C. RADAR (Radio Detection and Ranging)

RADAR systems utilize radio waves to detect objects and measure their distance, velocity, and direction. They are particularly effective in adverse weather conditions, such as fog, rain, and snow, where optical sensors like cameras and LIDAR struggle [27]. RADAR is commonly used for collision avoidance, adaptive cruise control, and detecting fast-moving objects. The latest Imaging RADAR systems offer higher resolution and spatial accuracy, enabling more detailed object identification and tracking [28]. By using advanced signal processing techniques, such as Frequency-Modulated Continuous Wave (FMCW) and MIMO (Multiple-Input Multiple-Output) configurations, Imaging RADAR enhances detection capabilities, especially in complex urban environments. RADAR's robustness and ability to detect objects in poor visibility make it indispensable for safety-critical applications [29]. However, challenges remain in accurately classifying objects due to lower spatial resolution compared to LIDAR and cameras. To address this, Deep Learning models are being integrated with RADAR data to improve object classification and enhance perception in challenging scenarios [30].

D. Sensor Fusion and Environmental Perception

Sensor Fusion integrates data from multiple sensors, including LIDAR, cameras, and RADAR, to create a comprehensive and accurate representation of the environment [31]. By leveraging the strengths of each sensor type, fusion algorithms enhance perception accuracy, robustness, and redundancy [32]. For example, LIDAR provides precise 3D mapping, RADAR ensures reliable detection in adverse weather, and cameras offer contextual visual information [27]. Recent advancements in Multi-Modal Sensor Fusion utilize Deep Learning architectures, such as Graph Neural Networks (GNNs) and Attention Mechanisms, to effectively combine heterogeneous sensor data. These systems improve scene understanding, dynamic object detection, and semantic segmentation. Moreover, Temporal Sensor Fusion methods incorporate historical sensor data, enhancing motion prediction and enabling more accurate tracking of dynamic objects[32] . Semantic Perception is also gaining prominence, allowing autonomous vehicles to interpret the environment at a contextual level [33]. By combining Sensor Fusion with Semantic Segmentation, vehicles can distinguish between different object types, such as pedestrians, cyclists, and vehicles, leading to more informed decision-making and safer navigation [33].

E. Challenges and Future Directions

While significant advancements have been made, Sensing and Perception Systems face challenges in ensuring reliability and accuracy across diverse environmental conditions [34]. Sensor noise, occlusions, and dynamic scenarios, such as crowded urban intersections, pose difficulties for consistent perception. Additionally, sensor malfunctions or calibration errors can lead to incorrect environmental interpretation, impacting safety and decision-making [35]. To address these challenges, researchers are exploring Redundant Sensing Architectures to enhance reliability through multiple overlapping sensor modalities[36]. Edge Computing is also being integrated to enable real-time data processing with minimal latency, facilitating rapid perception and decision-making. Moreover,

ISSN (Online) 2394-6849

International Journal of Engineering Research in Electronics and Communication Engineering (IJERECE)

Vol 12, Issue 05, May 2025

advancements in Quantum Sensing are expected to revolutionize perception systems by offering unprecedented precision and sensitivity [37]. The future of Sensing and Perception Systems lies in the development of AI-driven Sensor Fusion, enabling autonomous vehicles to achieve human-level situational awareness [1]. Emerging trends include Self-supervised Learning and Reinforcement Learning, which allow perception systems to learn and adapt to complex environments without requiring extensive labeled data [38]. By leveraging these technologies, next-generation autonomous vehicles will be capable of navigating dynamic and unpredictable environments with enhanced safety and efficiency [5].




Figure 1: Software Architecture of Autonomous Vehicle.[39]

III. LOCALIZATION AND MAPPING

Localization and Mapping are essential for autonomous vehicles as they enable precise positioning and comprehensive environmental awareness [6]. These systems allow vehicles to determine their exact location in complex, dynamic environments while simultaneously building and updating detailed maps for navigation [40]. This capability is crucial for making safe driving decisions, particularly in challenging scenarios such as urban landscapes, tunnels, or areas without reliable GPS signals [41].

A. Simultaneous Localization and Mapping (SLAM)

SLAM technology empowers autonomous vehicles to create maps of unfamiliar surroundings while simultaneously tracking their position within these maps [42]. Traditional approaches, including **Extended Kalman Filters (EKF-SLAM)** and **Particle Filters**, form the foundation of SLAM by applying probabilistic methods to estimate the vehicle's pose and environmental features [43]. These algorithms leverage sensor data from devices like **LIDAR**, **cameras**, and **Inertial Measurement Units (IMUs)** to achieve accurate localization [44]. Recent advancements have seen the rise of **Graph-based SLAM**, which improves map consistency by representing the localization challenge as a graph optimization problem [45]. This method enhances accuracy and scalability, especially in extensive or looped environments [46]. Moreover, integrating **Deep Learning** with **SLAM** has led to significant progress in feature extraction and semantic comprehension [47]. Utilizing **Convolutional Neural Networks (CNNs)**, these systems can identify and classify objects, contributing to dynamic and context-aware mapping [48]. **Multi-Sensor Fusion** is another advancement enhancing SLAM's performance, particularly in challenging conditions. By integrating data from various sensors, such as **LIDAR**, **cameras**, **IMUs**, and occasionally **GPS**, vehicles achieve high-precision localization even when individual sensors encounter limitations. For example, **LIDAR** offers accurate distance measurements, cameras provide visual context, and **IMUs** aid in motion tracking. This comprehensive sensor fusion enhances localization accuracy and reliability, particularly in GPS-denied environments [49].

B. High-Definition (HD) Maps

High-Definition (HD) Maps provide autonomous vehicles with highly detailed and precise environmental representations, exceeding the capabilities of conventional navigation maps [50]. These maps include granular details like lane markings, road boundaries, 3D road structures, and semantic information such as traffic sign meanings and signal statuses. Vehicles utilize **HD maps** for precise localization by comparing real-time sensor inputs with pre-mapped features [6]. This approach enables accurate lane positioning and facilitates complex maneuvers, including lane changes, merges, and intersection navigation [51]. Additionally, integrating **HD maps** with onboard perception systems improves situational awareness, allowing predictive decision-making and adaptive path planning. Many **HD mapping systems** employ cloud-based frameworks, enabling continuous updates and synchronization across fleets of autonomous vehicles [52]. This ensures that road changes, construction zones, or updated traffic rules are rapidly reflected in map data. Companies like **Waymo** and **Tesla** leverage crowdsourced data to maintain dynamic and up-to-date **HD maps**, supporting a real-time understanding of the driving environment [53].

C. Challenges and Future Directions

Despite considerable advancements, **Localization and Mapping** face several challenges, particularly in dynamic and unpredictable environments. One major challenge is maintaining **map accuracy** and **data consistency** over time [54]. Environmental changes, such as construction or adverse weather, can create discrepancies between stored map data and real-world conditions, impacting navigation and safety [35]. Additionally, autonomous systems may struggle with **feature recognition** under suboptimal conditions, including low-light, fog, or snow, which can degrade sensor performance and affect localization accuracy [35]. Ensuring **robustness against environmental changes** is critical to avoid misinterpretation of surroundings or positional loss [55]. Future research is exploring **Crowdsourced Mapping**, where data from multiple autonomous vehicles is aggregated to create and update maps in real time [56]. This method

ISSN (Online) 2394-6849

International Journal of Engineering Research in Electronics and Communication Engineering (IJERECE)

Vol 12, Issue 05, May 2025

enhances map reliability and coverage, as each vehicle contributes localized and up-to-date information. Additionally, **Semantic Mapping** is gaining prominence by enabling vehicles to understand not only the geometry but also the contextual meaning of environmental features, such as recognizing pedestrian crossings or differentiating between road signs and advertisements [57]. Advancements in **Edge Computing** and **5G technology** are expected to enhance **Localization and Mapping** by reducing latency and increasing processing efficiency [58]. By processing data closer to the vehicle, these technologies support faster map updates and more responsive localization, which are crucial for real-time navigation [59].




Figure 2: Results of UniBw's LIDAR-based object tracking: black dots represent LIDAR measurements in the ground plane, and brighter dots lie above. Tracked vehicles are drawn as green boxes with arrows pointing into the direction of movement. An approximation of the crossing's geometry (yellow) was added for clarification.[60]

IV. HUMAN-MACHINE INTERACTION

Human-Machine Interaction (HMI) is a crucial aspect of autonomous vehicles, facilitating seamless communication between the vehicle and its occupants. Effective HMI systems enhance user experience, safety, and overall trust in autonomous technology [8]. This section explores the design considerations, communication strategies, and ethical implications associated with HMI in autonomous vehicles [8].

A. User-Centric Design and Experience

User-centric design lies at the core of effective HMI, ensuring that interfaces are intuitive, accessible, and responsive. In autonomous vehicles, HMI systems provide real-time information about the vehicle's actions, intentions, and surrounding environment [61]. Visual, auditory, and haptic feedback mechanisms are commonly used to communicate with passengers, enhancing their situational awareness [61]. Additionally, user preferences and adaptive interfaces personalize the experience, making the journey more comfortable and engaging [62]. The challenge lies in designing interfaces that accommodate diverse user groups, including the elderly and differently-abled, ensuring inclusivity and usability [63].

B. Communication and Feedback Mechanisms

Communication between the vehicle and its occupants is vital for building trust and ensuring safety. Advanced HMI systems employ multimodal communication strategies, combining visual displays, voice assistants, and tactile feedback [61]. For instance, head-up displays (HUDs) project information onto the windshield, providing navigation guidance, speed information, and hazard alerts without diverting the driver's attention. Voice interactions allow hands-free control, while haptic feedback in the steering wheel or seats alerts passengers of sudden maneuvers or safety-critical situations[64]. Integrating these communication channels enhances the overall user experience, creating a seamless interaction between the vehicle and its occupants [65].

C. Safety and Ethical Considerations

Safety is paramount in HMI design, especially in autonomous vehicles where human intervention may be minimal. HMI systems must effectively communicate system status, driving mode (manual or autonomous), and emergency situations [8]. Transparency in decision-making builds user confidence and mitigates uncertainty. Ethical considerations also play a significant role, particularly in scenarios involving moral dilemmas, such as collision avoidance decisions [66]. Ensuring ethical transparency and accountability is crucial in maintaining public trust in autonomous technology. Additionally, safeguarding user data and maintaining privacy are fundamental challenges, necessitating robust cybersecurity measures [67]. Furthermore, **emergency situations** must be conveyed in a way that minimizes panic while guiding users toward appropriate actions [68]. Visual alerts, voice notifications, and haptic signals can work in tandem to inform passengers about critical events, such as sudden braking, obstacle detection, or system malfunctions. Some HMI systems also integrate **predictive alerts** that preemptively notify passengers of potential hazards, enhancing situational awareness and preparedness [61].

D. Future Trends and Innovations

HMI in autonomous vehicles is rapidly evolving, with emerging trends focusing on immersive experiences and enhanced connectivity [8]. Augmented Reality (AR) and Virtual Reality (VR) are being integrated into HMI systems to provide interactive navigation guidance, entertainment, and real-time environment visualization. Gesture recognition and eye-tracking technologies are enhancing hands-free control and personalized interactions [69]. Moreover, the integration of Artificial Intelligence (AI) enables HMI systems to learn user preferences and adapt accordingly, providing predictive assistance and proactive communication

ISSN (Online) 2394-6849

International Journal of Engineering Research in Electronics and Communication Engineering (IJERECE)

Vol 12, Issue 05, May 2025

[70]. As autonomous vehicles become more prevalent, the continuous evolution of HMI will play a pivotal role in shaping user experiences and acceptance of autonomous technology [8].

E. AR for Real-Time Navigation and Situation Awareness

AR-based Head-Up Displays (HUDs) project real-time navigation instructions directly onto the windshield, eliminating the need for passengers to look at separate screens [71]. AR overlays can highlight important road elements, such as pedestrians, traffic signs, and potential hazards, improving situational awareness [72]. Gesture-controlled AR dashboards allow passengers to interact with navigation controls, adjust infotainment settings, and receive updates on traffic conditions. VR enhances in-vehicle entertainment by offering interactive and immersive experiences for passengers during long trips [64]. AI-driven VR simulations allow passengers to explore tourist locations, attend virtual meetings, or engage in interactive games while commuting [73]. The adoption of AR and VR in AV HMI ensures a more engaging and intuitive user experience, reducing the perception of passivity and enhancing comfort [62].

F. AI-Powered Personalized HMI Systems

Artificial Intelligence is revolutionizing HMI by enabling personalized interactions and predictive user assistance. AI-driven adaptive interfaces analyze passenger preferences, habits, and behaviors to customize in-vehicle experiences [61].

Adaptive HMI for Personalized User ExperienceAI learns from passenger behavior, preferred routes, climate control settings, and seat adjustments to tailor the driving environment [61]. AI-based assistants anticipate user needs by suggesting routes, adjusting lighting and music preferences, and offering real-time updates based on contextual awareness [74]. Multi-modal HMI allows for interactions through voice commands, touchscreen inputs, and even biometric recognition, ensuring a seamless user experience [75].

AI-powered HMI predicts passenger needs before explicit input, such as automatically suggesting breaks during long drives or adjusting cabin temperature based on detected passenger stress levels [62]. AI enhances vehicle-to-passenger (V2P) communication, ensuring users remain informed about the vehicle's decisions and upcoming maneuvers [76]. Natural Language Processing (NLP) enables intelligent virtual assistants, allowing passengers to interact conversationally with the AV [77], much like talking to a human driver. By making HMI context-aware and user-centric, AI-driven systems foster trust and enhance user comfort in Avs [78].

G. Gesture and Eye-Tracking Technology for Hands-Free Interaction

Gesture and eye-tracking technologies are revolutionizing hands-free control in AVs, allowing passengers to interact naturally with the system [61]. Gesture-based controls allow passengers to adjust seat positions, climate settings, and entertainment options without touching any physical interface [79]. AI-powered cameras detect hand gestures, enabling users to navigate menus and select options effortlessly. Emergency gestures can be programmed to activate safety protocols, such as requesting assistance or switching control modes [80]. Eye-tracking sensors monitor driver/passenger engagement levels, detecting fatigue or distraction in semi-autonomous modes [62]. Gaze-based interfaces allow users to control infotainment systems or respond to alerts simply by looking at specific elements on the screen [81]. AVs can use eye-tracking to determine where the user is looking and provide relevant information, such as traffic details or nearby points of interest [82]. Gesture and eye-tracking technologies reduce the cognitive load on users while improving interaction efficiency, making AV experiences more intuitive and engaging [83].

V. COMMUNICATION AND CONNECTIVITY

Autonomous vehicles (AVs) rely on robust communication and connectivity solutions to ensure safe and efficient operation in dynamic environments [84]. Vehicle-to-Everything (V2X) communication plays a crucial role in enabling AVs to interact with other vehicles (V2V), infrastructure (V2I), pedestrians (V2P), and networks (V2N). These technologies enhance situational awareness, enable cooperative driving strategies, and facilitate data exchange for real-time decision-making [85].

A. Vehicle-to-Vehicle (V2V) and Vehicle-to-Infrastructure (V2I) Communication

V2V communication allows autonomous vehicles to exchange critical information, such as speed, trajectory, braking patterns, and road hazards, reducing the likelihood of collisions and improving traffic flow efficiency[86]. Dedicated Short-Range Communications (DSRC) and Cellular V2X (C-V2X) are two prominent technologies facilitating V2V communication. DSRC operates on a 5.9 GHz spectrum and offers low-latency, high-reliability communication, while C-V2X leverages existing cellular infrastructure, such as 4G LTE and emerging 5G networks, for broader connectivity. V2I communication enables AVs to receive real-time traffic signal data, road condition updates, and regulatory information from roadside units (RSUs) and smart traffic infrastructure [87]. High-definition maps integrated with V2I data enhance localization and assist in dynamic route planning [88]. Intelligent transportation systems (ITS) utilize V2I capabilities to optimize traffic flow, reduce congestion, and enhance pedestrian safety [89].

ISSN (Online) 2394-6849

International Journal of Engineering Research in Electronics and Communication Engineering (IJERECE)

Vol 12, Issue 05, May 2025

B. 5G and Edge Computing in AVs

The deployment of 5G networks is a significant enabler of AV connectivity, offering ultra-low latency, high bandwidth, and massive device connectivity. 5G facilitates real-time data transmission, allowing AVs to process environmental information with minimal delays [90]. The high-speed communication of 5G supports applications such as remote vehicle control, cooperative adaptive cruise control (CACC), and high-resolution mapping updates [91]. Edge computing further enhances AV performance by processing data closer to the source, reducing dependency on centralized cloud servers. Edge-based architectures allow AVs to make split-second decisions by processing sensor data locally or within nearby edge nodes, minimizing latency and improving response times [1]. This distributed computing approach reduces the burden on cloud infrastructure while ensuring robust data security and privacy [92].

C. Cybersecurity and Data Privacy

The increasing reliance on connectivity in autonomous vehicles (AVs) has significantly enhanced their capabilities but also introduced substantial cybersecurity vulnerabilities [93]. AVs communicate with various external entities, including cloud servers, infrastructure components, and other vehicles, making them susceptible to cyber threats such as hacking, data breaches, and spoofing attacks [93]. Malicious actors could exploit these vulnerabilities to manipulate sensor data, override control systems, or disrupt communication networks, potentially leading to safety hazards [94].

To mitigate these risks, secure communication protocols and encryption techniques are essential to ensure data integrity and confidentiality. Advanced cryptographic methods, including public-key infrastructure (PKI), quantum-resistant cryptography, and end-to-end encryption, help safeguard data exchanges between AV components [95]. Moreover, blockchain-based data authentication mechanisms have emerged as a promising solution for enhancing security by creating decentralized, tamper-proof records of vehicle-to-vehicle (V2V) and vehicle-to-infrastructure (V2I) communications [96]. These technologies prevent unauthorized access and ensure that only authenticated messages influence AV decision-making [97].

Furthermore, intrusion detection systems (IDS) and anomaly detection models play a crucial role in identifying and mitigating cyber threats in real time [98]. These systems leverage machine learning (ML) and artificial intelligence (AI) algorithms to detect irregularities in network traffic and system behavior [99]. For example, behavior-based IDS monitors deviations from expected AV operations and triggers alerts when anomalies indicative of cyberattacks are detected [100]. Similarly, hardware security modules (HSMs) provide an additional layer of protection by ensuring that cryptographic keys and sensitive operations remain secure within AV systems [101].

Apart from cybersecurity concerns, data privacy remains a critical issue in AV deployment. These vehicles continuously collect, process, and transmit vast amounts of personal data, including real-time location [102], driving patterns, biometric information, and user preferences. If not properly secured, such sensitive data can be exploited for unauthorized tracking, profiling, or even identity theft. Privacy-preserving techniques such as differential privacy, homomorphic encryption, and federated learning can minimize risks by ensuring that data is processed in a decentralized manner without exposing identifiable user information [103].

Regulatory frameworks play a pivotal role in shaping data privacy standards. The General Data Protection Regulation (GDPR), California Consumer Privacy Act (CCPA), and ISO/SAE 21434 standards outline best practices for handling AV data, including anonymization, consent-based data sharing, and the right to be forgotten. These regulations mandate that AV manufacturers and service providers implement stringent security policies to safeguard user data while maintaining transparency regarding data collection and usage [104].

VI. REGULATORY AND LEGAL FRAMEWORKS

The deployment of autonomous vehicles (AVs) presents significant legal and regulatory challenges. Governments and international organizations are actively working on establishing policies to ensure safety, liability clarity [105], ethical deployment, and standardization across regions. Regulations for AVs vary widely across different countries, reflecting diverse legal structures, transportation infrastructures, and public perceptions of automation [106].

A. Autonomous Vehicle Policies Worldwide

The regulatory landscape for autonomous vehicles (AVs) is highly diverse across different regions, shaped by government policies, liability frameworks, and infrastructure readiness [107]. While some countries have proactively embraced AV testing and deployment through progressive policies, others remain cautious, prioritizing safety, ethical concerns, and technological maturity before full-scale implementation [108].

Governments worldwide are working to establish comprehensive legal frameworks that address vehicle classification, operational safety, cybersecurity, data privacy, and insurance liabilities [109]. Some nations have implemented structured guidelines that allow real-world testing, while others continue to conduct feasibility studies to understand the impact of AVs on road safety, traffic management, and urban mobility [110]. The absence of universal regulations complicates cross-border AV deployment, making harmonization a key challenge for the industry [111].

ISSN (Online) 2394-6849

International Journal of Engineering Research in Electronics and Communication Engineering (IJERECE)

Vol 12, Issue 05, May 2025

A. Global AV Policies Overview

United States: The U.S. has a state-driven regulatory approach. While the National Highway Traffic Safety Administration (NHTSA) provides broad guidelines, individual states regulate AV testing and deployment. States like California and Arizona have advanced AV policies supporting commercial trials. European Union: The EU follows a harmonized approach, emphasizing data protection (GDPR compliance), cybersecurity, and safety protocols. UNECE regulations (e.g., UN Regulation No. 157) provide AV guidelines, including requirements for automated lane-keeping systems. China: China is actively integrating AVs into smart city initiatives [112]. The government supports AV development with dedicated AV zones, investment in AI, and strict data-sharing regulations. Japan & South Korea: Both countries emphasize AVs for aging populations [109], focusing on public transport automation and pedestrian safety. India & Developing Countries: AV regulation remains in its infancy, with focus areas including road infrastructure readiness, public acceptance, and regulatory frameworks for AI decision-making [113].

B. Safety Standards and Compliance

1. Ensuring AV safety is a top regulatory priority. Various organizations have introduced standards governing vehicle automation, cybersecurity, and human-machine interaction.
2. Key AV Safety Standards:
1. ISO 26262 – Functional safety standard for automotive electronics.
2. SAE J3016 – Defines levels of automation (L0 to L5).
3. UNECE Regulation No. 157 – Mandates safety features for Automated Lane Keeping Systems (ALKS).
4. FMVSS (U.S.) – Federal Motor Vehicle Safety Standards define testing and compliance procedures.

Manufacturers must adhere to these safety standards to ensure AV reliability and compliance [114].

C. Ethical Considerations in AV Deployment

AV decision-making in critical situations poses ethical dilemmas. Policies must address:

Liability Allocation: If an AV causes an accident, who is responsible—the manufacturer, software developer, or user?

Data Privacy: AVs collect vast amounts of data; ensuring compliance with regulations like GDPR is crucial.

Equitable Deployment: AVs should benefit all social groups, including rural populations and the disabled [109].

Moral Decision-Making: Ethical frameworks (e.g., Asimov's AI laws) influence how AVs prioritize human life in unavoidable crash situations [106].

VII. CHALLENGES AND FUTURE RESEARCH DIRECTIONS

As autonomous vehicle (AV) technology progresses toward widespread adoption, numerous challenges remain across technical, regulatory, ethical, and societal domains [113]. While significant advancements have been made in sensing, perception, and decision-making, achieving full autonomy with complete reliability and public acceptance is still a work in progress [106]. Future research directions must address these challenges to ensure the seamless integration of AVs into transportation ecosystems [90].

Key Technical and Societal Challenges

A. Safety and Reliability

One of the most critical challenges in AV deployment is ensuring safety and reliability in diverse real-world scenarios [115]. AVs must operate effectively in complex, unstructured, and unpredictable environments, such as dense urban traffic, extreme weather conditions, and construction zones [35].

AVs also face challenges related to hardware reliability, as prolonged use in varying environmental conditions can impact sensor accuracy, leading to system failures [27]. Additionally, software robustness is crucial—machine learning algorithms must generalize well across different road conditions and unexpected obstacles [35]. The industry must establish rigorous validation techniques to ensure AVs function safely across all operational design domains (ODDs).

B. Cybersecurity and Data Privacy

The increasing reliance on connectivity and cloud-based services exposes AVs to cybersecurity risks, including hacking, GPS spoofing, denial-of-service (DoS) attacks, and data breaches. Malicious actors could potentially manipulate AV systems, leading to unauthorized control, system failures, or large-scale disruptions. Robust encryption techniques, blockchain-based authentication, and intrusion detection systems (IDS) are essential to safeguarding AV networks [116].

Moreover, AVs continuously collect and process large volumes of user data, including location, biometrics, and behavioral patterns [117]. Data privacy regulations such as General Data Protection Regulation (GDPR) and the California Consumer Privacy Act (CCPA) impose strict guidelines on data collection, anonymization, and sharing [118]. Striking a balance between data utility for AI improvements and user privacy remains a key challenge for AV manufacturers and policymakers.

C. Infrastructure Readiness and V2X Communication

AVs require a well-developed infrastructure to function optimally [119]. Urban areas may have sufficient road markings, traffic signals, and dedicated lanes, but rural or underdeveloped regions lack the infrastructure necessary for reliable AV operation [120].

Vehicle-to-Everything(V2X) communication plays a crucial role in AV ecosystems, enabling real-time

ISSN (Online) 2394-6849

International Journal of Engineering Research in Electronics and Communication Engineering (IJERECE)

Vol 12, Issue 05, May 2025

interactions between vehicles, traffic signals, and roadside units [85]. However, standardizing V2X communication protocols and ensuring compatibility across manufacturers is a significant challenge that requires global cooperation [85].

D. Ethical and Legal Considerations

AVs introduce complex ethical dilemmas, particularly in scenarios where an accident is unavoidable. How should an AV prioritize human lives in a collision? Who is legally responsible in the event of a crash—the manufacturer, software developer, or passenger? These moral and legal considerations require extensive debate and consensus among governments, ethicists, and industry stakeholders.

Additionally, insurance models must be adapted to account for shared liability among different stakeholders, including automakers, software developers, and human operators [121]. Legal frameworks must define fault attribution, product liability, and risk management policies to ensure AV technology is both legally and ethically transparent [122].

E. AI-Driven Decision-Making and Edge Computing

AI-powered decision-making is evolving through advancements in deep learning, reinforcement learning, and neuromorphic computing. The ability of AVs to make instantaneous driving decisions under uncertain conditions is crucial for real-time hazard avoidance and adaptive navigation [123]. To reduce latency issues associated with cloud processing, researchers are focusing on edge computing, where computations occur directly on the vehicle rather than relying on remote servers [124]. This enhances response times, data security, and reliability, making AVs more independent and efficient.

F. Multimodal Sensor Fusion

Future AVs will integrate advanced sensor fusion technologies, combining data from LiDAR, cameras, RADAR, ultrasonic sensors, and thermal imaging to improve environmental perception [5]. Researchers are exploring how sensor redundancy and adaptive perception models can increase robustness in dynamic environments [125]. Additionally, event-based cameras inspired by biological vision are gaining attention for their ability to capture motion with minimal power consumption, potentially replacing traditional frame-based cameras in AV perception systems [25].

G. Swarm Intelligence and Cooperative AVs

Inspired by nature, swarm intelligence enables AVs to communicate and cooperate as a collective system. By sharing real-time traffic data, road conditions, and hazard alerts, AVs can optimize traffic flow, reduce congestion, and enhance safety [126]. Swarm-based AV networks will facilitate platooning, coordinated lane changes, and intersection management, leading to more efficient transportation systems [127].

H. Energy Efficiency and Sustainability

The future of AVs is closely linked to sustainable transportation [128]. As the industry shifts toward electric autonomous vehicles (EAVs), research is focusing on battery optimization, regenerative braking, and solar-assisted charging solutions [129].

Additionally, eco-driving algorithms are being developed to minimize energy consumption by adjusting speed, route selection, and acceleration patterns based on traffic conditions and energy efficiency models [130].

Open Research Areas

Despite rapid progress, several open research questions remain in the AV domain, offering fertile ground for future studies:

1. Generalized AI for AVs – Can AVs learn and generalize across diverse driving conditions without requiring massive amounts of labeled data?
2. Zero-Accident AVs – How can AI models be mathematically proven to ensure AVs achieve zero-accident reliability?
3. Standardization of AV Regulations – How can global regulations be harmonized to ensure AVs can operate across different regions?
4. Human-Autonomy Collaboration – What is the optimal balance between human intervention and full autonomy in semi-autonomous vehicles?
5. AV Impact on Urban Planning – How will widespread AV adoption influence city infrastructure, parking requirements, and traffic policies

The deployment of autonomous vehicles represents one of the most transformative shifts in modern transportation [131]. However, numerous technical, societal, legal, and ethical challenges must be addressed before AVs can achieve widespread adoption. Ensuring safety, cybersecurity, infrastructure readiness, and regulatory compliance remains paramount [109]. Future research must focus on AI-driven decision-making, sensor fusion, energy-efficient technologies, and cooperative AV ecosystems to enhance reliability and efficiency [132]. Additionally, continued discussions on ethics, liability, and data privacy are essential for gaining public trust and societal acceptance [67]. By overcoming these challenges, AVs have the potential to revolutionize mobility, enhance road safety, and contribute to a sustainable and intelligent transportation future [128].

VIII. ENERGY EFFICIENCY AND SUSTAINABILITY

The growing adoption of autonomous vehicles (AVs) has prompted researchers and manufacturers to focus on energy efficiency and sustainability to ensure environmental benefits while maintaining operational viability [109]. AVs have the potential to significantly reduce emissions and optimize energy consumption through the implementation of advanced driving strategies, integration with renewable energy sources,

and enhanced traffic management [131].

A. The Role of Energy Efficiency in Autonomous Vehicles

Autonomous driving systems are highly dependent on advanced computational models, real-time sensor processing, and continuous vehicle-to-vehicle (V2V) and vehicle-to-infrastructure (V2I) communication [133]. These processes consume substantial energy, requiring efficient power management strategies. Energy efficiency in AVs is influenced by several factors, including propulsion systems, aerodynamic optimization, battery management, and intelligent driving techniques [134].

B. Intelligent Driving Strategies for Energy Conservation

AVs leverage real-time data analytics, AI-based predictive modeling, and eco-driving techniques to optimize energy consumption [135]. Unlike human-driven vehicles, which are prone to inefficient acceleration, braking, and route selection, AVs use machine learning algorithms to optimize acceleration patterns, reduce sudden braking, and select the most energy-efficient routes [136].

Eco-Driving Techniques: By analyzing real-time traffic data, road conditions, and weather forecasts, AVs can regulate speed and avoid unnecessary energy consumption [130]. Techniques such as predictive cruise control, regenerative braking, and smooth acceleration significantly enhance efficiency[137]. Traffic Flow Optimization: AVs contribute to reducing congestion by maintaining optimal vehicle spacing, adjusting speeds based on surrounding traffic, and dynamically rerouting based on real-time conditions [138]. Reducing stop-and-go driving patterns lowers fuel consumption and extends battery life in electric AVs.

C. Vehicle Aerodynamics and Lightweight Materials

Energy efficiency in AVs is also dependent on their aerodynamic design and weight reduction strategies [139]. Manufacturers are increasingly using lightweight composite materials, such as carbon fiber and aluminum alloys, to enhance energy efficiency without compromising structural integrity [140]. Aerodynamic Enhancements: Optimized vehicle shapes, retractable aerodynamic panels, and active grille shutters reduce air resistance, leading to lower energy consumption at higher speeds [141]. Low Rolling Resistance Tires: Specialized tires with reduced friction improve fuel economy and extend battery life in electric Avs [142].

D. Battery Management and Optimization in Electric Autonomous Vehicles (EAVs)

The shift towards electrification in autonomous vehicles necessitates advancements in battery technology to enhance driving range, efficiency, and sustainability. Efficient battery management is crucial in ensuring the longevity and reliability of EAVs [134].

1. Real-Time Battery Monitoring and Predictive Maintenance in Electric AVs rely on sophisticated battery management systems (BMS) to regulate energy usage, prevent thermal runaway, and extend battery lifespan [143]. AI-powered BMS can predict battery degradation, enabling proactive maintenance and preventing unexpected failures [144].
2. State-of-Charge (SoC) Monitoring: Ensuring accurate SoC measurement prevents overcharging or deep discharging, which can degrade battery performance [145].
3. State-of-Health (SoH) Estimation: Predictive analytics assess battery wear and aging patterns, allowing timely interventions to maintain efficiency [146].

E. Fast Charging and Smart Charging Infrastructure

Charging time remains a major challenge for electric AVs, requiring efficient charging solutions to minimize downtime. Developments in ultra-fast charging and wireless charging technologies are accelerating AV adoption [134].

1. Ultra-Fast Charging (UFC): Advanced fast-charging stations can replenish an EV battery to 80% in under 20 minutes, reducing range anxiety for AV fleets [147].
2. Smart Charging Algorithms: AI-driven charging strategies optimize charging schedules based on electricity demand, reducing costs and preventing grid overload [148].
3. Inductive Wireless Charging: Some AV manufacturers are exploring wireless charging pads embedded in roads and parking lots to enable continuous charging without human intervention [134].

F. Green AV Technologies and Renewable Energy Integration

The sustainability of autonomous vehicles is closely linked to their ability to integrate with renewable energy sources and operate in a manner that minimizes environmental impact [149].

A. Solar-Powered Autonomous Vehicles

The concept of solar-powered AVs is gaining traction, with manufacturers experimenting with integrated solar panels to provide supplementary energy.

1. Photovoltaic Panels on Vehicle Surfaces: Solar panels embedded in the vehicle's body can generate auxiliary power, reducing battery drain and increasing range [150].
2. Solar-Assisted Charging Stations: AV charging stations powered by solar energy contribute to a greener transportation ecosystem [151].

B. Vehicle-to-Grid (V2G) Technology

V2G technology enables AVs to serve as mobile energy storage units, feeding excess energy back into the grid during peak demand periods. This enhances grid stability and

ISSN (Online) 2394-6849

International Journal of Engineering Research in Electronics and Communication Engineering (IJERECE)

Vol 12, Issue 05, May 2025

promotes energy sustainability [152].

1. Bidirectional Charging Infrastructure: Smart charging stations enable AVs to discharge stored energy into the grid when parked [134].
2. Renewable Grid Integration: AVs can store surplus renewable energy generated during off-peak hours and release it when demand rises [153].

C. AVs in Smart and Sustainable Cities

The integration of autonomous vehicles into smart city frameworks enhances sustainability by reducing emissions, improving traffic efficiency, and enabling seamless multimodal transportation [53].

D. Intelligent Traffic Management and Energy Savings

Smart traffic management systems leverage AV data to reduce energy waste and congestion.

1. AI-Powered Traffic Lights: Traffic signals dynamically adjust timings based on AV flow patterns, reducing idle time and unnecessary fuel consumption [154].
2. Adaptive Traffic Routing: AVs coordinate with city-wide traffic control centers to optimize route selection based on energy efficiency [136].

E. Shared Autonomous Mobility and Public Transport

Shared mobility solutions, such as autonomous taxis and self-driving buses, significantly reduce the per capita energy consumption of urban transport.

1. Autonomous Ride-Sharing Services: On-demand AV services reduce the number of vehicles on the road, lowering emissions [155].
2. Electric Autonomous Buses: Public transport systems incorporating electric AVs reduce reliance on fossil fuels and contribute to sustainability goals [155].

Energy efficiency and sustainability are fundamental to the long-term success of autonomous vehicles [139]. Through advanced battery management, intelligent driving strategies, integration with renewable energy sources, and participation in smart city ecosystems, AVs can minimize environmental impact while maximizing efficiency [74]. Ongoing research in fast-charging infrastructure, aerodynamic enhancements, and AI-driven energy optimization will further improve the sustainability of AV technology [135].

IX. MULTI-AGENT COORDINATION AND SWARM INTELLIGENCE

The integration of **multi-agent coordination and swarm intelligence** in autonomous vehicles (AVs) represents a significant step toward achieving seamless, efficient, and adaptive transportation systems [156]. Unlike traditional AVs that operate independently, multi-agent coordination involves multiple autonomous vehicles working together as a collective system, enabling intelligent decision-making, enhanced safety, and optimized traffic flow [157]. This paradigm is inspired by natural swarm behavior, such as bird flocks, fish schools, and insect colonies, where decentralized coordination and local interactions result in globally efficient behavior [158]. By leveraging swarm intelligence, AVs can navigate complex environments, avoid collisions, and optimize routes in real-time, contributing to a more intelligent and adaptive mobility ecosystem [126]. One of the core principles of **multi-agent coordination** in AVs is decentralized decision-making, where each vehicle acts as an intelligent agent that interacts with its neighboring agents rather than relying on a central control system [157]. This approach reduces the risks associated with single points of failure, enhances scalability, and improves system robustness. Vehicles communicate through vehicle-to-vehicle (V2V) and vehicle-to-infrastructure (V2I) networks, exchanging real-time data about speed, position, road conditions, and potential hazards [133]. This interconnected framework enables AVs to make collective decisions, such as adjusting speed to reduce congestion, forming cooperative platoons for fuel efficiency, or rerouting dynamically based on traffic conditions [136].

A key advantage of **swarm intelligence** in AVs is its ability to optimize traffic flow and reduce congestion [132]. Traditional traffic control systems struggle to manage unpredictable and fluctuating traffic demands, often leading to bottlenecks, long delays, and inefficient road usage [154]. In contrast, swarm-based AV coordination allows for dynamic traffic management, where vehicles collectively adjust their routes and speeds to balance traffic loads across different roadways [159]. For example, if a highway segment becomes congested, nearby AVs can distribute themselves across alternate routes in a decentralized manner, preventing further congestion build-up [136].

A. Collision avoidance and safety

These are critical aspects of multi-agent coordination in AVs. Unlike human drivers who rely on reactionary decision-making, swarm-intelligent AVs can predict potential conflicts and take preventive actions in advance [160]. By continuously sharing data on speed, acceleration, and trajectory, AVs can collaboratively adjust their movements to avoid accidents [4]. For instance, if an AV detects an obstacle on the road, it can instantly communicate this information to nearby vehicles, allowing them to adjust their paths and prevent sudden braking that could lead to chain-reaction collisions [161]. Furthermore, predictive models based on artificial intelligence (AI) enable AVs to anticipate pedestrian movements and other unpredictable events, enhancing overall road safety [162]. Another important application of multi-agent coordination is **cooperative vehicle platooning**, where groups of AVs travel together in synchronized formations to improve aerodynamic efficiency and fuel consumption [136]. This concept is particularly valuable for freight transportation, where long-haul trucks equipped with autonomous driving

ISSN (Online) 2394-6849

International Journal of Engineering Research in Electronics and Communication Engineering (IJERECE)

Vol 12, Issue 05, May 2025

capabilities can travel in close proximity to reduce air resistance [163]. Platooning also enhances roadway capacity, as vehicles maintain tighter formations without the need for excessive lane changes, ultimately reducing traffic congestion [164]. Research has shown that cooperative platooning can reduce fuel consumption by up to 20%, making it a promising solution for sustainable transportation [165].

B. Challenges and Limitations

Despite its potential, multi-agent coordination and swarm intelligence in AVs face several challenges. One of the primary obstacles is **real-time communication reliability**, as the effectiveness of swarm behavior relies heavily on low-latency and high-bandwidth V2V and V2I networks [127]. Delayed or lost communication signals can lead to coordination failures, resulting in suboptimal decision-making or, in extreme cases, accidents [166]. To address this, researchers are exploring **5G-enabled vehicular networks** and **edge computing architectures**, which allow for faster data transmission and decentralized processing, reducing the dependency on cloud-based systems [167]. Another challenge is **algorithmic complexity and computational efficiency** [168]. Swarm-based AV coordination requires advanced AI algorithms capable of processing vast amounts of sensor data and making split-second decisions. Implementing real-time multi-agent learning and optimization techniques requires substantial computational power, which may not be feasible for all AVs, particularly those with limited onboard processing capabilities [169]. As a result, researchers are developing lightweight yet efficient algorithms that balance computational efficiency with decision-making accuracy, ensuring practical deployment in real-world scenarios [170].

C. Regulatory and Ethical Considerations

The deployment of multi-agent coordination in AVs also introduces regulatory and ethical concerns. One of the key issues is **liability in coordinated decision-making** [106]. If a swarm-based AV system makes a collective decision that results in an accident, determining legal responsibility becomes complex [52]. Unlike traditional single-agent AVs where liability can be assigned to a specific manufacturer or software provider, multi-agent coordination involves shared decision-making across multiple entities [169]. Regulatory bodies must establish clear frameworks for liability allocation in such scenarios, ensuring fairness and accountability [171]. Additionally, public acceptance of swarm-intelligent AVs depends on **trust and transparency** [9]. While AI-driven coordination enhances efficiency and safety, the general public may be skeptical about relinquishing control to fully autonomous systems [66]. Ethical concerns arise regarding how AVs prioritize decisions in uncertain situations, such as scenarios involving unavoidable collisions [106]. Ensuring that multi-agent AV systems operate under transparent and explainable AI frameworks is crucial for gaining public confidence and widespread adoption [172].

D. Future Research Directions

The field of multi-agent coordination and swarm intelligence in AVs is rapidly evolving, with several promising research directions [169]. One of the most exciting areas is the integration of **bio-inspired learning models**, where AVs mimic the adaptive behaviors of natural swarms through reinforcement learning techniques [173]. By continuously learning from real-world driving scenarios, AV swarms can improve their decision-making over time, adapting to new environments and traffic patterns dynamically [174]. Another emerging trend is **hybrid intelligence systems**, where human drivers and autonomous vehicles coexist and interact in mixed-traffic environments [53]. Achieving seamless coordination between AVs and human-driven vehicles requires the development of **human-in-the-loop AI models** that can predict and respond to human behavior effectively [175]. Future AV systems may incorporate **cognitive AI frameworks**, enabling vehicles to understand human driving patterns and facilitate smooth interactions in urban environments [4] . Moreover, researchers are exploring the potential of **multi-modal swarm coordination**, where AVs collaborate with other autonomous entities such as drones, delivery robots, and smart infrastructure [127]. This interdisciplinary approach aims to create an integrated ecosystem where different autonomous agents work together to optimize urban mobility, logistics, and emergency response systems [126]. For example, AVs could coordinate with drone-based surveillance systems to detect road hazards in advance or collaborate with autonomous delivery bots for last-mile logistics [176].

Multi-agent coordination and swarm intelligence represent a transformative approach to autonomous vehicle coordination, offering significant benefits in traffic optimization, safety, and sustainability [174]. By leveraging decentralized decision-making, real-time communication, and bio-inspired algorithms, AVs can operate more efficiently and adaptively in dynamic environments [177]. However, challenges related to communication reliability, algorithmic complexity, regulatory frameworks, and public trust must be addressed for widespread adoption [178]. As research in this field continues to advance, the integration of AI-driven swarm intelligence will play a crucial role in shaping the future of autonomous transportation, paving the way for smarter, safer, and more efficient mobility solutions [179].

X. AUTONOMOUS VEHICLES AND URBAN TRAFFIC MANAGEMENT

The integration of autonomous vehicles (AVs) into urban traffic management is a transformative development that has

ISSN (Online) 2394-6849

International Journal of Engineering Research in Electronics and Communication Engineering (IJERECE)

Vol 12, Issue 05, May 2025

the potential to revolutionize modern transportation systems [128]. As cities become increasingly congested, AVs offer promising solutions to alleviate traffic bottlenecks, improve road safety, and optimize the overall efficiency of urban mobility [180]. The implementation of AVs in urban environments is not just about replacing human drivers with automation [181]; it involves an intelligent, interconnected system where AVs collaborate with smart infrastructure, traffic control systems, and real-time data analytics to create a seamless and adaptive transportation ecosystem [90]. Urban traffic management is a complex, multi-faceted challenge involving unpredictable human driving behavior, fluctuating traffic densities, pedestrian movement, and varying road conditions [182]. Traditional traffic management systems, which rely on pre-programmed traffic signals, manual interventions, and static route planning, often fail to adapt dynamically to real-time urban conditions. AVs, equipped with advanced sensors, machine learning algorithms, and vehicle-to-everything (V2X) communication, can interact dynamically with their environment, reducing congestion and improving road safety [183]. However, the widespread integration of AVs into urban traffic management requires overcoming significant technical, infrastructural, and regulatory hurdles [107].

A. Real-Time Traffic Optimization

A critical advantage of AVs in urban traffic management is real-time traffic optimization. Unlike traditional vehicles, which operate independently and follow predetermined traffic rules, AVs can collect, process, and share data instantaneouslyA critical advantage of AVs in urban traffic management is real-time traffic optimization. Unlike traditional vehicles, which operate independently and follow predetermined traffic rules, AVs can collect, process, and share data instantaneously [184]. By leveraging real-time traffic data, AVs can make informed decisions about speed adjustments, route planning, and lane usage to minimize congestion and travel time [154]. For instance, AVs equipped with predictive analytics and AI-driven algorithms can anticipate high-traffic zones and adjust their routes accordingly. Instead of all vehicles relying on a few major roads, AVs can distribute traffic load across less-congested routes, preventing traffic jams before they even form [185]. Furthermore, dynamic speed regulation—where AVs adjust their speeds based on live traffic conditions—ensures smooth traffic flow without unnecessary acceleration or abrupt braking, which often contributes to congestion [136]. The introduction of adaptive traffic signal control systems further enhances the effectiveness of AVs in traffic optimization. Traditional traffic signals operate on fixed timers, often leading to inefficient road usage [186]. However, smart traffic lights can communicate directly with AVs, adjusting green-light durations dynamically based on real-time vehicle density [187]. For example, if a particular intersection detects an increased presence of AVs approaching from one direction, it can extend the green light duration for that direction to improve overall traffic efficiency [188].

B. Platooning and Coordinated Traffic Flow

One of the most significant innovations brought by AVs in urban traffic management is vehicle platooning, where multiple autonomous vehicles form coordinated groups that travel together at close distances [189]. This technique not only improves fuel efficiency but also maximizes road capacity, allowing more vehicles to move efficiently on existing infrastructure [190]. Platooning works by utilizing vehicle-to-vehicle (V2V) communication, enabling AVs to synchronize their speed, acceleration, and braking patterns [189]. Since AVs in a platoon can react instantaneously to changes in the lead vehicle's movement, they can maintain shorter following distances without compromising safety [191]. This reduces overall road space consumption and decreases congestion by ensuring steady and predictable traffic flow.

Moreover, AV platooning is particularly beneficial in urban areas with high volumes of freight transportation [191]. Autonomous trucks traveling in tightly coordinated formations can significantly reduce the number of lane changes and disruptions caused by human-driven vehicles, thus enhancing the overall efficiency of urban logistics [132].

C. The Role of AVs in Reducing Traffic Accidents

Traffic congestion is often exacerbated by accidents caused by human error, including reckless driving, distracted driving, and delayed reaction times [192]. AVs, on the other hand, operate based on precise sensor inputs, machine learning algorithms, and predictive modeling, significantly reducing the likelihood of accidents [193]. By eliminating human limitations such as fatigue, impaired driving, and aggressive maneuvers, AVs contribute to a safer urban environment [136]. Their ability to instantly analyze surroundings, predict pedestrian movements, and react faster than human drivers makes them highly effective in accident prevention [194]. Additionally, collision avoidance systems, which use LiDAR, radar, and cameras, allow AVs to detect potential hazards in real-time and take corrective actions, such as emergency braking or evasive maneuvers [195]. The ripple effect of fewer accidents on urban traffic management is significant. A single accident on a busy urban road can cause extensive delays [192], leading to chain-reaction congestion across multiple intersections. By reducing accident rates, AVs help to maintain consistent traffic flow, preventing unexpected disruptions that contribute to urban gridlock [196].

D. Integration of AVs with Smart City Infrastructure

The successful deployment of AVs in urban environments is closely linked to the development of smart city infrastructure [53]. To maximize the benefits of AVs, urban areas need to be equipped with intelligent traffic management

ISSN (Online) 2394-6849

International Journal of Engineering Research in Electronics and Communication Engineering (IJERECE)

Vol 12, Issue 05, May 2025

systems, connected roadways, and real-time monitoring platforms [188].

1. V2X Communication Networks: AVs rely on seamless communication with traffic lights, road sensors, and other vehicles to navigate efficiently [86]. The deployment of robust 5G networks and edge computing architectures allows AVs to receive instant updates on traffic conditions, road hazards, and emergency vehicle movement [90].
2. Smart Roadways: Modern urban planning is shifting toward connected road infrastructure, where sensors embedded in roads collect data on traffic flow, weather conditions, and accident reports [2]. This information is transmitted to AVs, allowing them to adapt their driving behavior accordingly [4].
3. Dedicated AV Lanes and Urban Traffic Zones: Cities exploring AV adoption are considering the implementation of dedicated AV lanes to streamline their integration with existing traffic [105]. These lanes minimize interaction between AVs and human-driven vehicles, reducing uncertainty in mixed-traffic environments [197]. Additionally, designated low-speed AV zones in pedestrian-heavy areas can enhance urban mobility while ensuring pedestrian safety [198].

E. Challenges in Integrating AVs into Urban Traffic Management

Despite the advantages of AVs in urban traffic management, several technical, regulatory, and societal challenges remain:

1. Traffic Congestion in Mixed-Mode Environments: Since human drivers behave unpredictably compared to AVs, coexistence between human-driven and autonomous vehicles poses challenges [199]. Gradual adaptation strategies, such as controlled rollouts and pilot zones, are necessary to ease this transition [200].
2. Cybersecurity Risks: AVs operating in connected urban environments are vulnerable to hacking, data breaches, and signal manipulation. A cyberattack on AV fleets could disrupt entire traffic networks, emphasizing the need for robust cybersecurity measures [127].
3. Public Trust and Acceptance: Many urban dwellers remain skeptical about fully autonomous vehicles. Addressing concerns about safety, liability, and decision-making transparency is crucial for public adoption [106].

F. F. Future Research Directions and Policy Recommendations

The future of AVs in urban traffic management requires collaborative research efforts, infrastructure investments, and policy development. Some key research areas include:

1. Artificial Intelligence for Adaptive Traffic Control: AI-driven traffic management algorithms can dynamically adjust traffic signals, optimize routing, and predict congestion patterns to enhance urban mobility [154].
2. Integration of AVs with Public Transportation: AVs should complement existing public transit systems rather than replace them, ensuring inclusive and efficient urban mobility [180].
3. Regulatory Frameworks for AV Deployment: Policymakers must establish standardized guidelines for AV testing, liability, and data privacy while ensuring compliance with global safety standards [110].

Autonomous vehicles have the potential to redefine urban traffic management, offering solutions to congestion, safety concerns, and road inefficiencies [181]. Through real-time data processing, AI-driven optimization, and V2X communication, AVs can transform urban transportation into a more sustainable, efficient, and intelligent system [132]. However, challenges related to infrastructure, cybersecurity, and human acceptance must be addressed to enable the smooth integration of AVs into urban landscapes [127]. As cities continue to evolve, collaborative efforts between governments, researchers, and the private sector will be crucial in shaping the future of urban mobility [201].

XI. ETHICAL AI AND DECISION-MAKING

As autonomous vehicles (AVs) become an integral part of modern transportation systems, the ethical implications of their decision-making processes have come under intense scrutiny [106]. Unlike human drivers, AVs rely entirely on artificial intelligence (AI) algorithms to perceive their surroundings, evaluate risks, and make split-second decisions [202]. These decisions often involve moral dilemmas, where the vehicle must choose between competing outcomes, each with ethical consequences [203]. As AVs increasingly take on responsibilities that directly impact human lives, ensuring that their decision-making is fair, transparent, and aligned with societal values becomes a critical challenge [106]. Developing an ethical AI framework for AVs requires addressing several key concerns: moral dilemmas in AV decision-making, transparency and explainability in AI systems, and regulatory policies for ethical AV algorithms [106]. Each of these areas presents complex challenges that necessitate a balance between technological capabilities, legal frameworks, and public trust [171].

A. Moral Dilemmas in AV Decision-Making

One of the most debated ethical issues in AVs is how they should prioritize human lives in unavoidable accident scenarios [106]. These situations, often modeled using variations of the Trolley Problem, present difficult questions: Should an AV prioritize its passengers over pedestrians? Should it swerve to avoid a child running into the street, even if it puts its passengers at risk? Should it choose to minimize

ISSN (Online) 2394-6849

International Journal of Engineering Research in Electronics and Communication Engineering (IJERECE)

Vol 12, Issue 05, May 2025

total harm, or should certain lives be valued differently based on age, occupation, or other factors? The difficulty in addressing such dilemmas lies in the absence of a universally accepted ethical framework. Different cultures, legal systems, and personal beliefs influence opinions on how AVs should behave in life-and-death scenarios [204]. Studies have shown that preferences for AV decision-making vary widely: for example, research indicates that Western societies tend to favor utilitarian solutions [205], where AVs should minimize total harm, while some Eastern cultures emphasize protecting elders or authority figures. This variability creates challenges in designing AVs that can operate ethically across different global markets [106]. Furthermore, moral dilemmas are not limited to extreme life-or-death situations. AVs must also navigate complex urban environments, where ethical considerations come into play in everyday driving decisions [206]. For example:

1. Right-of-Way Conflicts: Should AVs always follow traffic rules strictly, or should they behave more like human drivers and sometimes bend the rules [207] (e.g., cautiously rolling through stop signs when no other vehicles are present)?
2. Pedestrian and Cyclist Safety: Should AVs be programmed to always yield to pedestrians, even if it causes inconvenience to passengers or disrupts traffic flow?
3. Emergency Vehicle Prioritization: How should AVs react to ambulances or police vehicles when it may not be immediately clear what the best course of action is?

B. Transparency and Explainability in AV AI Systems

A major concern regarding AI-driven AVs is their lack of transparency in decision-making [106]. Unlike human drivers, who can explain their actions after an accident, AVs operate using deep learning models and complex algorithms that often function as "black boxes." [208] This raises critical questions: How do AVs make decisions? Who is responsible if something goes wrong? Can their actions be audited and justified? Transparency in AV decision-making is essential for public trust, regulatory compliance, and legal accountability. To address this, researchers and developers are exploring ways to make AV AI systems more explainable [106]. Some of the key approaches include:

1. Interpretable AI Models: Instead of relying on opaque deep learning models, AV developers are working on algorithms that provide clear, human-understandable reasoning for their decisions [209].
2. Event Data Recorders (EDRs): Similar to black boxes in airplanes, EDRs can log every decision made by an AV [210], allowing for post-incident analysis to determine the cause of an accident or traffic violation [211].
3. User-Friendly Interfaces: AVs should be equipped with dashboard explanations or mobile apps that inform passengers about why the vehicle is taking a particular action [62] (e.g., "Slowing down due to an upcoming pedestrian crossing").

Furthermore, ensuring transparency requires collaboration between AV manufacturers, regulatory bodies, and independent auditors to develop standardized testing procedures and ethical guidelines [212]. AVs should be subjected to rigorous testing where their decisions in ethical dilemmas can be evaluated, documented, and refined [106].

C. Regulatory Policies for Ethical AV Algorithms

Given the ethical complexities of AV decision-making, strong regulatory policies are needed to guide the development and deployment of Avs [106]. Without standardized guidelines, different manufacturers might program their AVs with inconsistent ethical priorities, leading to confusion, potential legal disputes, and a lack of public trust [207].

Regulatory policies for ethical AV AI must address several key areas:

1. Liability and Accountability: In the event of an accident, who is responsible—the manufacturer, the software developer, the vehicle owner, or the AI itself? Clear liability frameworks must be established to determine responsibility and ensure fair compensation for victims [213].
2. Ethical Standardization: Governments and international organizations must work together to define a universal set of ethical principles that AVs must follow, ensuring consistency across different regions [204]. This could include rules on how AVs handle pedestrian crossings, emergency situations, and interactions with human-driven vehicles [207].
3. Data Privacy and Security: Since AVs collect vast amounts of real-time data on passengers, pedestrians, and road conditions, strict data privacy laws must be enforced to prevent misuse of personal information [214]. Regulations such as the General Data Protection Regulation (GDPR) in Europe and similar policies worldwide must be adapted to cover AV data collection, storage, and sharing practices [215].
4. Human Oversight Mechanisms: While AVs are designed to operate autonomously, there should always be mechanisms for human intervention in case of ethical uncertainty [106]. Whether through remote human operators, emergency override systems, or ethical review boards, AVs should have safeguards that allow human judgment to play a role in critical decision-making processes [106].

Countries are currently taking different approaches to regulating AV ethics. For instance:

1. Germany has introduced ethical guidelines for AVs, emphasizing that human safety should always take priority over property damage and that AVs must avoid discriminating based on factors such as age or disability [106].

ISSN (Online) 2394-6849

International Journal of Engineering Research in Electronics and Communication Engineering (IJERECE)

Vol 12, Issue 05, May 2025

2. The United States follows a more industry-driven approach, allowing AV manufacturers significant flexibility while requiring them to submit safety reports to regulatory agencies [216].
3. China has integrated AI ethics into its broader national AI strategy [217], ensuring that AVs align with state-defined values and priorities.

These diverse regulatory landscapes highlight the need for international collaboration to ensure that AVs can operate ethically and legally across different jurisdictions [218]. The ethical challenges surrounding AI-driven decision-making in AVs present one of the most complex hurdles to their widespread adoption [106]. Addressing moral dilemmas, ensuring transparency, and enforcing regulatory policies is essential to build public trust and legal certainty in AV deployment [171]. While significant progress is being made in developing interpretable AI, data transparency mechanisms, and liability frameworks, the future of AV ethics will require continuous dialogue between policymakers, industry leaders, and the general public [219].

As AV technology evolves, so too must the ethical frameworks that guide its decisions [106]. Only through a multi-disciplinary approach combining AI ethics, law, sociology, and engineering can we ensure that AVs contribute to a safer, fairer, and more responsible transportation ecosystem [220].

XII. SMART CITIES: INTEGRATION WITH IOT

The integration of autonomous vehicles (AVs) with smart city infrastructure and the Internet of Things (IoT) is a transformative step in the evolution of urban mobility [131]. Smart cities leverage advanced sensor networks, data analytics, and real-time communication to enhance transportation efficiency, reduce congestion, and improve safety [221]. AVs play a crucial role in this ecosystem by communicating with other vehicles, traffic systems, and city-wide infrastructure, enabling a seamless and intelligent transportation network [136]. The incorporation of IoT technologies further strengthens AV capabilities by providing continuous data exchange, predictive maintenance, and optimized route planning, ultimately contributing to a more sustainable and efficient urban landscape [132] .

A. Vehicle-to-Everything (V2X) Communication and Urban Planning

One of the key technologies facilitating AV and smart city integration is Vehicle-to-Everything (V2X) communication. V2X encompasses several subcategories, including Vehicle-to-Vehicle (V2V), Vehicle-to-Infrastructure (V2I), and Vehicle-to-Pedestrian (V2P) communication [222]. These technologies enable AVs to share real-time data regarding traffic conditions, road hazards, weather updates, and emergency situations. By interacting with smart city traffic management systems [223], AVs can dynamically adjust speed, reroute to avoid congestion, and improve overall traffic efficiency [138]. Urban planners are leveraging V2X data to enhance city design by identifying bottlenecks, optimizing signal timings, and implementing adaptive traffic control measures [224].

The continuous feedback from AVs allows for data-driven decision-making, leading to improvements in road safety and reduced emissions [174]. Additionally, V2X communication plays a crucial role in emergency response coordination by allowing AVs to make way for ambulances, fire trucks, and law enforcement vehicles through real-time traffic reconfiguration [225].

B. IoT-Enabled Infrastructure and Real-Time Traffic Management

The backbone of AV and smart city integration lies in IoT-enabled infrastructure. Smart traffic signals, connected road signs, and intelligent toll systems can dynamically adapt to changing traffic conditions [1]. By collecting and analyzing real-time data from AVs and other road users, IoT-based traffic management systems can proactively address congestion issues and enhance overall road safety [226]. IoT sensors embedded in roadways, parking lots, and pedestrian crossings enable AVs to navigate more efficiently [5]. For instance, smart intersections equipped with AI-driven cameras and LiDAR sensors can predict pedestrian movements and adjust AV speed accordingly, minimizing the risk of accidents [227]. Furthermore, IoT-driven predictive analytics assist in identifying high-risk areas prone to accidents or congestion, allowing authorities to implement preemptive measures such as speed limit adjustments and alternate route recommendations [228].

C. AI-Driven Traffic Signal Optimization for AV Coordination

Artificial intelligence (AI) plays a pivotal role in optimizing traffic signal control in smart cities [74]. Traditional traffic lights operate on pre-programmed timers that do not adapt to real-time road conditions. However, AI-driven adaptive traffic signal systems analyze real-time data from AVs, road sensors, and historical traffic patterns to dynamically adjust signal timings [229]. For instance, if a particular intersection experiences a sudden surge in AV traffic, AI algorithms can extend the green light duration to ease congestion [230]. Similarly, AI-driven traffic signals can detect approaching emergency vehicles and adjust signal priorities to ensure rapid passage [231]. These intelligent traffic management strategies significantly enhance urban mobility by reducing idling time, fuel consumption, and greenhouse gas emissions [226].

D. Predictive Maintenance and Smart Infrastructure Management

AVs rely on a vast network of road infrastructure, including highways, bridges, tunnels, and parking facilities. Smart cities utilize IoT-enabled predictive maintenance

ISSN (Online) 2394-6849

International Journal of Engineering Research in Electronics and Communication Engineering (IJERECE)

Vol 12, Issue 05, May 2025

systems to monitor infrastructure health and detect potential failures before they occur [2]. By analyzing data from AVs and embedded IoT sensors, city authorities can proactively address maintenance needs, ensuring optimal road conditions for AV operation [127].

For example, IoT sensors can detect road surface deterioration, cracks in bridges, or malfunctioning traffic lights and automatically alert maintenance teams [232]. This proactive approach minimizes road disruptions and enhances safety for AVs and human-driven vehicles alike [227]. Additionally, smart parking systems utilize IoT data to guide AVs to available parking spaces, reducing congestion caused by unnecessary searching for parking spots [233].

E. Challenges and Future Prospects of AV Integration in Smart Cities

Despite the significant advancements in AV and smart city integration, several challenges remain [53]. The implementation of large-scale IoT infrastructure requires substantial investment and collaboration between government agencies, private stakeholders, and technology developers [234]. Data security and privacy concerns also pose a critical challenge, as continuous data exchange between AVs and smart city systems increases vulnerability to cyber threats [235]. Ensuring robust cybersecurity frameworks and encryption protocols is essential to protect AV networks from potential hacking and data breaches [93]. Furthermore, standardization and interoperability of AV communication protocols remain key hurdles [105]. Different manufacturers and cities may adopt varying V2X and IoT standards, leading to compatibility issues. Establishing global standards for AV communication and smart city integration is necessary for seamless implementation across diverse urban environments [53]. Looking ahead, the integration of 5G technology and edge computing is expected to further enhance AV and smart city collaboration [90]. High-speed, low-latency 5G networks will facilitate real-time data transmission [236], enabling AVs to make split-second decisions based on up-to-the-moment road conditions. Additionally, advancements in AI and machine learning will continue to refine predictive traffic management and infrastructure optimization, paving the way for more autonomous, efficient, and sustainable urban mobility solutions [154].

The convergence of AVs with smart city infrastructure and IoT technologies is revolutionizing urban transportation systems [131]. V2X communication, AI-driven traffic management, and IoT-enabled predictive maintenance are shaping the future of intelligent mobility [237]. While challenges such as cybersecurity risks, standardization issues, and infrastructure costs persist, continued technological advancements and policy initiatives will drive the seamless integration of AVs into smart cities [127]. As cities worldwide embrace digital transformation, AVs are poised to play a pivotal role in creating safer, more efficient, and environmentally sustainable urban environments [131].

XIII. CONCLUSION

We have tried to write our findings to be clear and concise. The evolution of autonomous vehicles (AVs) represents a paradigm shift in modern transportation, driven by advancements in artificial intelligence, sensor fusion, machine learning, and connected infrastructure. This comprehensive review has explored critical aspects of AV development, including sensing and perception, localization and mapping, motion planning and control, human-machine interaction, cybersecurity, ethical considerations, and regulatory frameworks. Each of these domains plays a fundamental role in ensuring the safety, efficiency, and widespread adoption of AV technology.

A key takeaway from this review is that the successful deployment of AVs depends on the seamless integration of hardware and software, robust safety measures, and adaptive machine intelligence. The synergy between AVs and smart cities, facilitated by Vehicle-to-Everything (V2X) communication and IoT infrastructure, is crucial for optimizing urban traffic flow, reducing congestion, and minimizing energy consumption. Additionally, human-machine interaction (HMI) remains a vital component, as intuitive interfaces and transparent AI decision-making foster user trust and acceptance.

Despite significant advancements, numerous challenges persist. Safety remains the foremost priority, as AVs must navigate complex and unpredictable real-world scenarios. Ethical dilemmas in AV decision-making, such as collision avoidance strategies, require careful consideration to ensure fairness, accountability, and compliance with legal frameworks. Furthermore, cybersecurity threats pose a growing concern, necessitating robust encryption, intrusion detection, and regulatory policies to safeguard user data and prevent malicious attacks.

The regulatory landscape for AVs varies globally, with some countries accelerating deployment while others take a cautious approach. Standardization of AV communication protocols, liability frameworks, and data protection laws will be critical in shaping the future of autonomous mobility. Additionally, advancements in multi-agent coordination, swarm intelligence, and reinforcement learning will further refine AV capabilities, enabling real-time adaptability and cooperative decision-making.

Looking ahead, the continued evolution of AV technology will be shaped by interdisciplinary collaboration between engineers, policymakers, and urban planners. Future research should focus on enhancing AI explainability, improving sensor robustness in adverse conditions, and addressing the ethical and societal implications of widespread AV deployment. As technology progresses, AVs have the potential to revolutionize transportation, making it safer, more accessible, and sustainable. However, realizing this

vision will require a balanced approach that prioritizes safety, ethical responsibility, and technological innovation.

Ultimately, autonomous vehicles hold the promise of reshaping mobility, reducing accidents, and redefining urban landscapes. While challenges remain, the collective efforts of researchers, industries, and governments will determine how quickly AVs transition from experimental prototypes to everyday transportation solutions. The journey toward fully autonomous mobility is complex, but with continued advancements and responsible deployment strategies, AVs will become an integral part of the future transportation ecosystem.

REFERENCES

[1] R. A. Khalil, Z. Safelnasr, N. Yemane, M. Kedir, A. Shafiqurrahman, and N. SAEED, "Advanced Learning Technologies for Intelligent Transportation Systems: Prospects and Challenges," *IEEE Open J. Veh. Technol.*, vol. 5, pp. 397–427, 2024, doi: 10.1109/OJVT.2024.3369691.

[2] Z. Mahrez, E. Sabir, E. Badidi, W. Saad, and M. Sadik, "Smart Urban Mobility: When Mobility Systems Meet Smart Data," *IEEE Trans. Intell. Transp. Syst.*, vol. 23, no. 7, pp. 6222–6239, Jul. 2022, doi: 10.1109/TITS.2021.3084907.

[3] S. Jain *et al.*, "Blockchain and Autonomous Vehicles: Recent Advances and Future Directions," *IEEE Access*, vol. 9, pp. 130264–130328, 2021, doi: 10.1109/ACCESS.2021.3113649.

[4] A. Sarker *et al.*, "A Review of Sensing and Communication, Human Factors, and Controller Aspects for Information-Aware Connected and Automated Vehicles," *IEEE Trans. Intell. Transp. Syst.*, vol. 21, no. 1, pp. 7–29, Jan. 2020, doi: 10.1109/TITS.2019.2892399.

[5] F. A. Butt, J. N. Chattha, J. Ahmad, M. U. Zia, M. Rizwan, and I. H. Naqvi, "On the Integration of Enabling Wireless Technologies and Sensor Fusion for Next-Generation Connected and Autonomous Vehicles," *IEEE Access*, vol. 10, pp. 14643–14668, 2022, doi: 10.1109/ACCESS.2022.3145972.

[6] D. Kumar and N. Muhammad, "A Survey on Localization for Autonomous Vehicles," *IEEE Access*, vol. 11, pp. 115865–115883, 2023, doi: 10.1109/ACCESS.2023.3326069.

[7] S. Abdallaoui, E.-H. Aglzim, A. Chaibet, and A. Kribèche, "Thorough Review Analysis of Safe Control of Autonomous Vehicles: Path Planning and Navigation Techniques," *Energies*, vol. 15, no. 4, p. 1358, Feb. 2022, doi: 10.3390/en15041358.

[8] J. A. Mandujano-Granillo *et al.*, "Human–Machine Interfaces: A Review for Autonomous Electric Vehicles," *IEEE Access*, vol. 12, pp. 121635–121658, 2024, doi: 10.1109/ACCESS.2024.3450439.

[9] R. Fernandez-Rojas *et al.*, "Contextual Awareness in Human-Advanced-Vehicle Systems: A Survey," *IEEE Access*, vol. 7, pp. 33304–33328, 2019, doi: 10.1109/ACCESS.2019.2902812.

[10] M. B. Alatise and G. P. Hancke, "A Review on Challenges of Autonomous Mobile Robot and Sensor Fusion Methods," *IEEE Access*, vol. 8, pp. 39830–39846, 2020, doi: 10.1109/ACCESS.2020.2975643.

[11] D. J. Yeong, G. Velasco-Hernandez, J. Barry, and J. Walsh, "Sensor and Sensor Fusion Technology in Autonomous Vehicles: A Review," *Sensors*, vol. 21, no. 6, p. 2140, Mar. 2021, doi: 10.3390/s21062140.

[12] G. Kim, I. Ashraf, J. Eom, and Y. Park, "Coded Pulse Stream LiDAR Based on Optical Orthogonal Frequency-Division Multiple Access," *IEEE Access*, vol. 11, pp. 142734–142747, 2023, doi: 10.1109/ACCESS.2023.3343916.

[13] R. Wang, J. Peethambaran, and D. Chen, "LiDAR Point Clouds to 3-D Urban Models$:$ A Review," *IEEE J. Sel. Top. Appl. Earth Obs. Remote Sens.*, vol. 11, no. 2, pp. 606–627, Feb. 2018, doi: 10.1109/JSTARS.2017.2781132.

[14] T. Raj, F. H. Hashim, A. B. Huddin, M. F. Ibrahim, and A. Hussain, "A Survey on LiDAR Scanning Mechanisms," *Electronics*, vol. 9, no. 5, p. 741, Apr. 2020, doi: 10.3390/electronics9050741.

[15] P. Yee Leong and N. S. Ahmad, "Exploring Autonomous Load-Carrying Mobile Robots in Indoor Settings: A Comprehensive Review," *IEEE Access*, vol. 12, pp. 131395–131417, 2024, doi: 10.1109/ACCESS.2024.3435689.

[16] A. M. Wallace, A. Halimi, and G. S. Buller, "Full Waveform LiDAR for Adverse Weather Conditions," *IEEE Trans. Veh. Technol.*, vol. 69, no. 7, pp. 7064–7077, Jul. 2020, doi: 10.1109/TVT.2020.2989148.

[17] P. Chen *et al.*, "A Review of Research on SLAM Technology Based on the Fusion of LiDAR and Vision," *Sensors*, vol. 25, no. 5, p. 1447, Feb. 2025, doi: 10.3390/s25051447.

[18] A. Pravallika, M. F. Hashmi, and A. Gupta, "Deep Learning Frontiers in 3D Object Detection: A Comprehensive Review for Autonomous Driving,"

IEEE Access, vol. 12, pp. 173936–173980, 2024, doi: 10.1109/ACCESS.2024.3456893.

[19] R. R. Deshpande, M. R. Bhatt, and C. H. R. Madhavi, "Accuracy in Depth Recovery and 3D Image Synthesis from Single Image Using Multi-Color Filter Aperture and Shallow Depth of Field," *IEEE Access*, vol. 9, pp. 123528–123540, 2021, doi: 10.1109/ACCESS.2021.3109865.

[20] E. Schoop, J. Smith, and B. Hartmann, "HindSight," in *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems*, New York, NY, USA: ACM, Apr. 2018, pp. 1–12. doi: 10.1145/3173574.3173717.

[21] N. Manakitsa, G. S. Maraslidis, L. Moysis, and G. F. Fragulis, "A Review of Machine Learning and Deep Learning for Object Detection, Semantic Segmentation, and Human Action Recognition in Machine and Robotic Vision," *Technologies*, vol. 12, no. 2, p. 15, Jan. 2024, doi: 10.3390/technologies12020015.

[22] P. Dolatyabi, J. Regan, and M. Khodayar, "Deep Learning for Traffic Scene Understanding: A Review," *IEEE Access*, vol. 13, pp. 13187–13237, 2025, doi: 10.1109/ACCESS.2025.3529289.

[23] S. Khan, M. Naseer, M. Hayat, S. W. Zamir, F. S. Khan, and M. Shah, "Transformers in Vision: A Survey," *ACM Comput. Surv.*, vol. 54, no. 10s, pp. 1–41, Jan. 2022, doi: 10.1145/3505244.

[24] E. J. Ientilucci, S. D. Brown, J. R. Schott, and R. V. Raqueno, "<title>Multispectral simulation environment for modeling low-light-level sensor systems</title>," C. B. Johnson, T. D. Maclay, and F. A. Allahdadi, Eds., Nov. 1998, pp. 10–19. doi: 10.1117/12.331229.

[25] G. Gallego *et al.*, "Event-Based Vision: A Survey," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 44, no. 1, pp. 154–180, Jan. 2022, doi: 10.1109/TPAMI.2020.3008413.

[26] J. Fayyad, M. A. Jaradat, D. Gruyer, and H. Najjaran, "Deep Learning Sensor Fusion for Autonomous Vehicle Perception and Localization: A Review," *Sensors*, vol. 20, no. 15, p. 4220, Jul. 2020, doi: 10.3390/s20154220.

[27] J. Vargas, S. Alsweiss, O. Toker, R. Razdan, and J. Santos, "An Overview of Autonomous Vehicles Sensors and Their Vulnerability to Weather Conditions," *Sensors*, vol. 21, no. 16, p. 5397, Aug. 2021, doi: 10.3390/s21165397.

[28] D. B. M. Yousefi, A. S. M. Rafie, S. A. R. Al-Haddad, and S. Azrad, "A Systematic Literature Review on the Use of Deep Learning in Precision Livestock Detection and Localization Using Unmanned Aerial Vehicles," *IEEE Access*, vol. 10, pp. 80071–80091, 2022, doi: 10.1109/ACCESS.2022.3194507.

[29] B. Yan and I. P. Roberts, "Advancements in Millimeter-Wave Radar Technologies for Automotive Systems: A Signal Processing Perspective," *Electronics*, vol. 14, no. 7, p. 1436, Apr. 2025, doi: 10.3390/electronics14071436.

[30] A. Srivastav and S. Mandal, "Radars for Autonomous Driving: A Review of Deep Learning Methods and Challenges," *IEEE Access*, vol. 11, pp. 97147–97168, 2023, doi: 10.1109/ACCESS.2023.3312382.

[31] Z. Wang, Y. Wu, and Q. Niu, "Multi-Sensor Fusion in Automated Driving: A Survey," *IEEE Access*, vol. 8, pp. 2847–2868, 2020, doi: 10.1109/ACCESS.2019.2962554.

[32] M. Hussain, M. O'Nils, J. Lundgren, and S. J. Mousavirad, "A Comprehensive Review on Deep Learning-Based Data Fusion," *IEEE Access*, vol. 12, pp. 180093–180124, 2024, doi: 10.1109/ACCESS.2024.3508271.

[33] K. Muhammad *et al.*, "Vision-Based Semantic Segmentation in Scene Understanding for Autonomous Driving: Recent Achievements, Challenges, and Outlooks," *IEEE Trans. Intell. Transp. Syst.*, vol. 23, no. 12, pp. 22694–22715, Dec. 2022, doi: 10.1109/TITS.2022.3207665.

[34] S. S. Borah, A. Khanal, and P. Sundaravadivel, "Emerging Technologies for Automation in Environmental Sensing: Review," *Appl. Sci.*, vol. 14, no. 8, p. 3531, Apr. 2024, doi: 10.3390/app14083531.

[35] C. Xu and R. Sankar, "A Comprehensive Review of Autonomous Driving Algorithms: Tackling Adverse Weather Conditions, Unpredictable Traffic Violations, Blind Spot Monitoring, and Emergency Maneuvers," *Algorithms*, vol. 17, no. 11, p. 526, Nov. 2024, doi: 10.3390/a17110526.

[36] D. Wen, Y. Zhou, X. Li, Y. Shi, K. Huang, and K. B. Letaief, "A Survey on Integrated Sensing, Communication, and Computation," *IEEE Commun. Surv. Tutorials*, pp. 1–1, 2024, doi: 10.1109/COMST.2024.3521498.

[37] A. Passian and N. Imam, "Nanosystems, Edge Computing, and the Next Generation Computing Systems," *Sensors*, vol. 19, no. 18, p. 4048, Sep. 2019, doi: 10.3390/s19184048.

[38] S. V. Mahadevkar *et al.*, "A Review on Machine Learning Styles in Computer Vision—Techniques and Future Directions," *IEEE Access*, vol. 10, pp. 107293–107329, 2022, doi: 10.1109/ACCESS.2022.3209825.

[39] S. Malik, M. A. Khan, H. El-Sayed, J. Khan, and O. Ullah, "How Do Autonomous Vehicles Decide?," *Sensors*, vol. 23, no. 1, p. 317, Dec. 2022, doi: 10.3390/s23010317.

[40] M. Blösch, S. Weiss, D. Scaramuzza, and R. Siegwart, "Vision based MAV navigation in unknown and unstructured environments," in *2010 IEEE International Conference on Robotics and Automation*, IEEE, May 2010, pp. 21–28. doi: 10.1109/ROBOT.2010.5509920.

[41] M. Patrucco, E. Pira, S. Pentimalli, R. Nebbia, and A. Sorlini, "Anti-Collision Systems in Tunneling to Improve Effectiveness and Safety in a System-Quality Approach: A Review of the State of the Art," *Infrastructures*, vol. 6, no. 3, p. 42, Mar. 2021, doi: 10.3390/infrastructures6030042.

[42] J. A. Bala, S. A. Adeshina, and A. M. Aibinu, "Advances in Visual Simultaneous Localisation and Mapping Techniques for Autonomous Vehicles: A Review," *Sensors*, vol. 22, no. 22, p. 8943, Nov. 2022, doi: 10.3390/s22228943.

[43] X. Bian, W. Zhao, L. Tang, H. Zhao, and X. Mei, "An Enhanced Particle Filtering Method Leveraging Particle Swarm Optimization for Simultaneous Localization and Mapping in Mobile Robots Navigating Unknown Environments," *Appl. Sci.*, vol. 14, no. 20, p. 9426, Oct. 2024, doi: 10.3390/app14209426.

[44] A. Poulose and D. S. Han, "Hybrid Indoor Localization Using IMU Sensors and Smartphone Camera," *Sensors*, vol. 19, no. 23, p. 5084, Nov. 2019, doi: 10.3390/s19235084.

[45] A. R. Sahili *et al.*, "A Survey of Visual SLAM Methods," *IEEE Access*, vol. 11, pp. 139643–139677, 2023, doi: 10.1109/ACCESS.2023.3341489.

[46] A. Villar-Martinez, L. Rodriguez-Gil, I. Angulo, P. Orduna, J. Garcia-Zubia, and D. Lopez-De-Ipina, "Improving the Scalability and Replicability of Embedded Systems Remote Laboratories Through a Cost-Effective Architecture," *IEEE Access*, vol. 7, pp. 164164–164185, 2019, doi: 10.1109/ACCESS.2019.2952321.

[47] W. Chen *et al.*, "An Overview on Visual SLAM: From Tradition to Semantic," *Remote Sens.*, vol. 14, no. 13, p. 3010, Jun. 2022, doi: 10.3390/rs14133010.

[48] Y. Gong *et al.*, "Context-Aware Convolutional Neural Network for Object Detection in VHR Remote Sensing Imagery," *IEEE Trans. Geosci. Remote Sens.*, vol. 58, no. 1, pp. 34–44, Jan. 2020, doi: 10.1109/TGRS.2019.2930246.

[49] J. Zhu, H. Li, and T. Zhang, "Camera, LiDAR, and IMU Based Multi-Sensor Fusion SLAM: A Survey," *Tsinghua Sci. Technol.*, vol. 29, no. 2, pp. 415–429, Apr. 2024, doi: 10.26599/TST.2023.9010010.

[50] G. Elghazaly, R. Frank, S. Harvey, and S. Safko, "High-Definition Maps: Comprehensive Survey, Challenges, and Future Perspectives," *IEEE Open J. Intell. Transp. Syst.*, vol. 4, pp. 527–550, 2023, doi: 10.1109/OJITS.2023.3295502.

[51] J. Laconte, A. Kasmi, R. Aufrère, M. Vaidis, and R. Chapuis, "A Survey of Localization Methods for Autonomous Vehicles in Highway Scenarios," *Sensors*, vol. 22, no. 1, p. 247, Dec. 2021, doi: 10.3390/s22010247.

[52] S. MahmoudZadeh, A. Yazdani, Y. Kalantari, B. Ciftler, F. Aidarus, and M. O. Al Kadri, "Holistic Review of UAV-Centric Situational Awareness: Applications, Limitations, and Algorithmic Challenges," *Robotics*, vol. 13, no. 8, p. 117, Jul. 2024, doi: 10.3390/robotics13080117.

[53] K. Kuru and W. Khan, "A Framework for the Synergistic Integration of Fully Autonomous Ground Vehicles with Smart City," *IEEE Access*, vol. 9, pp. 923–948, 2021, doi: 10.1109/ACCESS.2020.3046999.

[54] A. Gupta and X. Fernando, "Simultaneous Localization and Mapping (SLAM) and Data Fusion in Unmanned Aerial Vehicles: Recent Advances and Challenges," *Drones*, vol. 6, no. 4, p. 85, Mar. 2022, doi: 10.3390/drones6040085.

[55] Y. Delahoz and M. Labrador, "Survey on Fall Detection and Fall Prevention Using Wearable and External Sensors," *Sensors*, vol. 14, no. 10, pp. 19806–19842, Oct. 2014, doi: 10.3390/s141019806.

[56] Y. Guo, J. Zhou, X. Li, Y. Tang, and Z. Lv, "A Review of Crowdsourcing Update Methods for High-Definition Maps," *ISPRS Int. J. Geo-Information*, vol. 13, no. 3, p. 104, Mar. 2024, doi: 10.3390/ijgi13030104.

[57] K. T. Asrat and H.-J. Cho, "A Comprehensive Survey on High-Definition Map Generation and Maintenance," *ISPRS Int. J. Geo-Information*, vol.

13, no. 7, p. 232, Jul. 2024, doi: 10.3390/ijgi13070232.

[58] N. Hassan, K.-L. A. Yau, and C. Wu, "Edge Computing in 5G: A Review," *IEEE Access*, vol. 7, pp. 127276–127289, 2019, doi: 10.1109/ACCESS.2019.2938534.

[59] S. Saeedi *et al.*, "Navigating the Landscape for Real-Time Localization and Mapping for Robotics and Virtual and Augmented Reality," *Proc. IEEE*, vol. 106, no. 11, pp. 2020–2039, Nov. 2018, doi: 10.1109/JPROC.2018.2856739.

[60] T. Luettel, M. Himmelsbach, and H.-J. Wuensche, "Autonomous Ground Vehicles—Concepts and a Path to the Future," *Proc. IEEE*, vol. 100, no. Special Centennial Issue, pp. 1831–1839, May 2012, doi: 10.1109/JPROC.2012.2189803.

[61] F. Gao, X. Ge, J. Li, Y. Fan, Y. Li, and R. Zhao, "Intelligent Cockpits for Connected Vehicles: Taxonomy, Architecture, Interaction Technologies, and Future Directions," *Sensors*, vol. 24, no. 16, p. 5172, Aug. 2024, doi: 10.3390/s24165172.

[62] J. Giron, Y. Sela, L. Barenboim, G. Gilboa-Freedman, and Y. Amichai-Hamburger, "Persona-PhysioSync AV: Personalized Interaction through Personality and Physiology Monitoring in Autonomous Vehicles," *Sensors*, vol. 24, no. 6, p. 1977, Mar. 2024, doi: 10.3390/s24061977.

[63] P. A. Silva and V. G. Motti, "Evaluating a Multi-Component Classroom Intervention to Teach Accessibility in Higher Education: A Case Study With Persona Cards," *IEEE Access*, vol. 12, pp. 20299–20312, 2024, doi: 10.1109/ACCESS.2024.3360135.

[64] R. Krstačić, A. Žužić, and T. Orehovački, "Safety Aspects of In-Vehicle Infotainment Systems: A Systematic Literature Review from 2012 to 2023," *Electronics*, vol. 13, no. 13, p. 2563, Jun. 2024, doi: 10.3390/electronics13132563.

[65] J. E. Siegel, D. C. Erb, and S. E. Sarma, "A Survey of the Connected Vehicle Landscape —Architectures, Enabling Technologies, Applications, and Development Areas," *IEEE Trans. Intell. Transp. Syst.*, vol. 19, no. 8, pp. 2391–2406, Aug. 2018, doi: 10.1109/TITS.2017.2749459.

[66] A. Chougule, V. Chamola, A. Sam, F. R. Yu, and B. Sikdar, "A Comprehensive Review on Limitations of Autonomous Driving and Its Impact on Accidents and Collisions," *IEEE Open J. Veh. Technol.*, vol. 5, pp. 142–161, 2024, doi: 10.1109/OJVT.2023.3335180.

[67] L. L. Dhirani, N. Mukhtiar, B. S. Chowdhry, and T. Newe, "Ethical Dilemmas and Privacy Issues in Emerging Technologies: A Review," *Sensors*, vol. 23, no. 3, p. 1151, Jan. 2023, doi: 10.3390/s23031151.

[68] B. Feroz, A. Mehmood, H. Maryam, S. Zeadally, C. Maple, and M. A. Shah, "Vehicle-Life Interaction in Fog-Enabled Smart Connected and Autonomous Vehicles," *IEEE Access*, vol. 9, pp. 7402–7420, 2021, doi: 10.1109/ACCESS.2020.3049110.

[69] S. Yoo, S. Reza, H. Tarashiyoun, A. Ajikumar, and M. Moghaddam, "AI-Integrated AR as an Intelligent Companion for Industrial Workers: A Systematic Review," *IEEE Access*, pp. 1–1, 2024, doi: 10.1109/ACCESS.2024.3516536.

[70] D. Mourtzis, J. Angelopoulos, and N. Panopoulos, "The Future of the Human–Machine Interface (HMI) in Society 5.0," *Futur. Internet*, vol. 15, no. 5, p. 162, Apr. 2023, doi: 10.3390/fi15050162.

[71] R. G. Boboc, F. Gîrbacia, and E. V. Butilă, "The Application of Augmented Reality in the Automotive Industry: A Systematic Literature Review," *Appl. Sci.*, vol. 10, no. 12, p. 4259, Jun. 2020, doi: 10.3390/app10124259.

[72] G. Arvanitis, N. Stagakis, E. I. Zacharaki, and K. Moustakas, "Cooperative Saliency-Based Pothole Detection and AR Rendering for Increased Situational Awareness," *IEEE Trans. Intell. Transp. Syst.*, vol. 25, no. 5, pp. 3588–3604, May 2024, doi: 10.1109/TITS.2023.3327494.

[73] A. E. Sousa, P. Cardoso, and F. Dias, "The Use of Artificial Intelligence Systems in Tourism and Hospitality: The Tourists' Perspective," *Adm. Sci.*, vol. 14, no. 8, p. 165, Aug. 2024, doi: 10.3390/admsci14080165.

[74] M. E. E. Alahi *et al.*, "Integration of IoT-Enabled Technologies and Artificial Intelligence (AI) for Smart City Scenario: Recent Advancements and Future Trends," *Sensors*, vol. 23, no. 11, p. 5206, May 2023, doi: 10.3390/s23115206.

[75] E. Dritsas, M. Trigka, C. Troussas, and P. Mylonas, "Multimodal Interaction, Interfaces, and Communication: A Survey," *Multimodal Technol. Interact.*, vol. 9, no. 1, p. 6, Jan. 2025, doi: 10.3390/mti9010006.

[76] S. Ilarri, T. Delot, and R. Trillo-Lado, "A Data Management Perspective on Vehicular Networks," *IEEE Commun. Surv. Tutorials*, vol. 17, no. 4, pp. 2420–2460, 2015, doi: 10.1109/COMST.2015.2472395.

[77] G. Yenduri *et al.*, "GPT (Generative Pre-Trained Transformer)— A Comprehensive Review on Enabling Technologies, Potential Applications, Emerging Challenges, and Future Directions," *IEEE Access*, vol. 12, pp. 54608–54649, 2024, doi: 10.1109/ACCESS.2024.3389497.

[78] C. Demir, A. Meschtscherjakov, and M. Gärtner, "Unlocking Trust and Acceptance in Tomorrow's Ride: How In-Vehicle Intelligent Agents Redefine SAE Level 5 Autonomy," *Multimodal Technol. Interact.*, vol. 8, no. 12, p. 111, Dec. 2024, doi: 10.3390/mti8120111.

[79] K. Małecki, A. Nowosielski, and M. Kowalicki, "Gesture-Based User Interface for Vehicle On-Board System: A Questionnaire and Research Approach," *Appl. Sci.*, vol. 10, no. 18, p. 6620, Sep. 2020, doi: 10.3390/app10186620.

[80] Y. Su, D. Yin, X. Zhao, T. Hu, and L. Liu, "Exploration of Advanced Applications of Triboelectric Nanogenerator-Based Self-Powered Sensors in the Era of Artificial Intelligence," *Sensors*, vol. 25, no. 8, p. 2520, Apr. 2025, doi: 10.3390/s25082520.

[81] G. Prabhakar and P. Biswas, "Eye Gaze Controlled Projected Display in Automotive and Military Aviation Environments," *Multimodal Technol. Interact.*, vol. 2, no. 1, p. 1, Jan. 2018, doi: 10.3390/mti2010001.

[82] A. Ulahannan, P. Jennings, L. Oliveira, and S. Birrell, "Designing an Adaptive Interface: Using Eye Tracking to Classify How Information Usage Changes Over Time in Partially Automated Vehicles," *IEEE Access*, vol. 8, pp. 16865–16875, 2020, doi: 10.1109/ACCESS.2020.2966928.

[83] L. Chen *et al.*, "Enhancing Multi-Modal Perception and Interaction: An Augmented Reality Visualization System for Complex Decision Making," *Systems*, vol. 12, no. 1, p. 7, Dec. 2023, doi: 10.3390/systems12010007.

[84] I. W. Damaj, J. K. Yousafzai, and H. T. Mouftah, "Future Trends in Connected and Autonomous Vehicles: Enabling Communications and Processing Technologies," *IEEE Access*, vol. 10, pp. 42334–42345, 2022, doi: 10.1109/ACCESS.2022.3168320.

[85] M. Noor-A-Rahim *et al.*, "6G for Vehicle-to-Everything (V2X) Communications: Enabling Technologies, Challenges, and Opportunities," *Proc. IEEE*, vol. 110, no. 6, pp. 712–734, Jun. 2022, doi: 10.1109/JPROC.2022.3173031.

[86] M. N. Ahangar, Q. Z. Ahmed, F. A. Khan, and M. Hafeez, "A Survey of Autonomous Vehicles: Enabling Communication Technologies and Challenges," *Sensors*, vol. 21, no. 3, p. 706, Jan. 2021, doi: 10.3390/s21030706.

[87] E. Zadobrischi and Ștefan Havriliuc, "Enhancing Scalability of C-V2X and DSRC Vehicular Communication Protocols with LoRa 2.4 GHz in the Scenario of Urban Traffic Systems," *Electronics*, vol. 13, no. 14, p. 2845, Jul. 2024, doi: 10.3390/electronics13142845.

[88] M. Yang *et al.*, "Review and challenge: High definition map technology for intelligent connected vehicle," *Fundam. Res.*, Apr. 2024, doi: 10.1016/j.fmre.2024.01.006.

[89] M. S. Shahriar, A. K. Kale, and K. Chang, "Enhancing Intersection Traffic Safety Utilizing V2I Communications: Design and Evaluation of Machine Learning Based Framework," *IEEE Access*, vol. 11, pp. 106024–106036, 2023, doi: 10.1109/ACCESS.2023.3319382.

[90] A. Biswas and H.-C. Wang, "Autonomous Vehicles Enabled by the Integration of IoT, Edge Intelligence, 5G, and Blockchain," *Sensors*, vol. 23, no. 4, p. 1963, Feb. 2023, doi: 10.3390/s23041963.

[91] "No Title", doi: 10.1109/ACCESS.2023.3349208.

[92] P. J. Sun, "Privacy Protection and Data Security in Cloud Computing: A Survey, Challenges, and Solutions," *IEEE Access*, vol. 7, pp. 147420–147452, 2019, doi: 10.1109/ACCESS.2019.2946185.

[93] I. Durlik, T. Miller, E. Kostecka, Z. Zwierzewicz, and A. Łobodzińska, "Cybersecurity in Autonomous Vehicles—Are We Ready for the Challenge?," *Electronics*, vol. 13, no. 13, p. 2654, Jul. 2024, doi: 10.3390/electronics13132654.

[94] M. M. Aslam, A. Tufail, R. A. A. H. M. Apong, L. C. De Silva, and M. T. Raza, "Scrutinizing Security in Industrial Control Systems: An Architectural Vulnerabilities and Communication Network Perspective," *IEEE Access*, vol. 12, pp. 67537–67573, 2024, doi: 10.1109/ACCESS.2024.3394848.

[95] J. Astorga, M. Barcelo, A. Urbieta, and E. Jacob, "Revisiting the Feasibility of Public Key Cryptography in Light of IIoT Communications," *Sensors*, vol. 22, no. 7, p. 2561, Mar. 2022, doi: 10.3390/s22072561.

[96] P. M. Rao, S. Jangirala, S. Pedada, A. K. Das, and Y. Park, "Blockchain Integration for IoT-Enabled V2X Communications: A Comprehensive Survey,

Security Issues and Challenges," *IEEE Access*, vol. 11, pp. 54476–54494, 2023, doi: 10.1109/ACCESS.2023.3281844.

[97] M. Abdel-Basset, A. Gamal, N. Moustafa, A. Abdel-Monem, and N. El-Saber, "A Security-by-Design Decision-Making Model for Risk Management in Autonomous Vehicles," *IEEE Access*, vol. 9, pp. 107657–107679, 2021, doi: 10.1109/ACCESS.2021.3098675.

[98] A. Kim, M. Park, and D. H. Lee, "AI-IDS: Application of Deep Learning to Real-Time Web Intrusion Detection," *IEEE Access*, vol. 8, pp. 70245–70261, 2020, doi: 10.1109/ACCESS.2020.2986882.

[99] M. G. Kibria, K. Nguyen, G. P. Villardi, O. Zhao, K. Ishizu, and F. Kojima, "Big Data Analytics, Machine Learning, and Artificial Intelligence in Next-Generation Wireless Networks," *IEEE Access*, vol. 6, pp. 32328–32338, 2018, doi: 10.1109/ACCESS.2018.2837692.

[100] F. R. Alzaabi and A. Mehmood, "A Review of Recent Advances, Challenges, and Opportunities in Malicious Insider Threat Detection Using Machine Learning Methods," *IEEE Access*, vol. 12, pp. 30907–30927, 2024, doi: 10.1109/ACCESS.2024.3369906.

[101] B. Poudel and A. Munir, "Design and Evaluation of a Reconfigurable ECU Architecture for Secure and Dependable Automotive CPS," *IEEE Trans. Dependable Secur. Comput.*, vol. 18, no. 1, pp. 235–252, Jan. 2021, doi: 10.1109/TDSC.2018.2883057.

[102] M. S. Alsayfi, M. Y. Dahab, F. E. Eassa, R. Salama, S. Haridi, and A. S. Al-Ghamdi, "Securing Real-Time Video Surveillance Data in Vehicular Cloud Computing: A Survey," *IEEE Access*, vol. 10, pp. 51525–51547, 2022, doi: 10.1109/ACCESS.2022.3174554.

[103] K. Krishna Prakasha and U. Sumalatha, "Privacy-Preserving Techniques in Biometric Systems: Approaches and Challenges," *IEEE Access*, vol. 13, pp. 32584–32616, 2025, doi: 10.1109/ACCESS.2025.3541649.

[104] M. Benyahya, A. Collen, and N. A. Nijdam, "Analyses on standards and regulations for connected and automated vehicles: Identifying the certifications roadmap," *Transp. Eng.*, vol. 14, p. 100205, Dec. 2023, doi: 10.1016/j.treng.2023.100205.

[105] A. Mahdavian, A. Shojaei, S. Mccormick, T. Papandreou, N. Eluru, and A. A. Oloufa, "Drivers and Barriers to Implementation of Connected, Automated, Shared, and Electric Vehicles: An Agenda for Future Research," *IEEE Access*, vol. 9, pp. 22195–22213, 2021, doi: 10.1109/ACCESS.2021.3056025.

[106] H. S. M. Lim and A. Taeihagh, "Algorithmic Decision-Making in AVs: Understanding Ethical and Technical Concerns for Smart Cities," *Sustainability*, vol. 11, no. 20, p. 5791, Oct. 2019, doi: 10.3390/su11205791.

[107] I. Ullah, J. Zheng, S. Ullah, K. Bhattarai, H. Almujibah, and H. Alawad, "Unraveling the Complex Barriers to and Policies for Shared Autonomous Vehicles: A Strategic Analysis for Sustainable Urban Mobility," *Systems*, vol. 12, no. 12, p. 558, Dec. 2024, doi: 10.3390/systems12120558.

[108] S. Slapničar, T. Vuko, M. Čular, and M. Drašček, "Effectiveness of cybersecurity audit," *Int. J. Account. Inf. Syst.*, vol. 44, p. 100548, Mar. 2022, doi: 10.1016/j.accinf.2021.100548.

[109] H. S. M. Lim and A. Taeihagh, "Autonomous Vehicles for Smart and Sustainable Cities: An In-Depth Exploration of Privacy and Cybersecurity Implications," *Energies*, vol. 11, no. 5, p. 1062, Apr. 2018, doi: 10.3390/en11051062.

[110] A. I. Abu Bakar, M. A. Abas, M. F. Muhamad Said, and T. A. Tengku Azhar, "Synthesis of Autonomous Vehicle Guideline for Public Road-Testing Sustainability," *Sustainability*, vol. 14, no. 3, p. 1456, Jan. 2022, doi: 10.3390/su14031456.

[111] J.-A. Pattinson and H. Chen, "A barrier to innovation: Europe's ad-hoc cross-border framework for testing prototype autonomous vehicles," *Int. Rev. Law, Comput. Technol.*, vol. 34, no. 1, pp. 108–122, Jan. 2020, doi: 10.1080/13600869.2019.1696651.

[112] T. Sever and G. Contissa, "Automated driving regulations – where are we now?," *Transp. Res. Interdiscip. Perspect.*, vol. 24, p. 101033, Mar. 2024, doi: 10.1016/j.trip.2024.101033.

[113] N. Zali, S. Amiri, T. Yigitcanlar, and A. Soltani, "Autonomous Vehicle Adoption in Developing Countries: Futurist Insights," *Energies*, vol. 15, no. 22, p. 8464, Nov. 2022, doi: 10.3390/en15228464.

[114] D. Garikapati, S. Poovalingam, W. Hau, R. de Castro, and C. Shinde, "A Comprehensive Review of Parallel Autonomy Systems Within Vehicles: Applications, Architectures, Safety Considerations, and Standards," *IEEE Access*, vol. 12, pp. 150395–

150418, 2024, doi: 10.1109/ACCESS.2024.3430933.

[115] G. Abdelkader, K. Elgazzar, and A. Khamis, "Connected Vehicles: Technology Review, State of the Art, Challenges and Opportunities," *Sensors*, vol. 21, no. 22, p. 7712, Nov. 2021, doi: 10.3390/s21227712.

[116] S. Gupta, C. Maple, and R. Passerone, "An Investigation of Cyber-Attacks and Security Mechanisms for Connected and Autonomous Vehicles," *IEEE Access*, vol. 11, pp. 90641–90669, 2023, doi: 10.1109/ACCESS.2023.3307473.

[117] Y. Liang, S. Samtani, B. Guo, and Z. Yu, "Behavioral Biometrics for Continuous Authentication in the Internet-of-Things Era: An Artificial Intelligence Perspective," *IEEE Internet Things J.*, vol. 7, no. 9, pp. 9128–9143, Sep. 2020, doi: 10.1109/JIOT.2020.3004077.

[118] J. M. Blanke, "Protection for 'Inferences Drawn': A Comparison Between the General Data Protection Regulation and the California Consumer Privacy Act," *Glob. Priv. Law Rev.*, vol. 1, no. Issue 2, pp. 81–92, Jun. 2020, doi: 10.54648/GPLR2020080.

[119] P. Singh, M. A. Dulebenets, J. Pasha, E. D. R. S. Gonzalez, Y.-Y. Lau, and R. Kampmann, "Deployment of Autonomous Trains in Rail Transportation: Current Trends and Existing Challenges," *IEEE Access*, vol. 9, pp. 91427–91461, 2021, doi: 10.1109/ACCESS.2021.3091550.

[120] M. Ansarinejad, K. Ansarinejad, P. Lu, Y. Huang, and D. Tolliver, "Autonomous Vehicles in Rural Areas: A Review of Challenges, Opportunities, and Solutions," *Appl. Sci.*, vol. 15, no. 8, p. 4195, Apr. 2025, doi: 10.3390/app15084195.

[121] P. Fraga-Lamas and T. M. Fernandez-Carames, "A Review on Blockchain Technologies for an Advanced and Cyber-Resilient Automotive Industry," *IEEE Access*, vol. 7, pp. 17578–17598, 2019, doi: 10.1109/ACCESS.2019.2895302.

[122] M. Uzair, "Who Is Liable When a Driverless Car Crashes?," *World Electr. Veh. J.*, vol. 12, no. 2, p. 62, Apr. 2021, doi: 10.3390/wevj12020062.

[123] A. Bastola, H. Wang, S. P. H. Boroujeni, J. Brinkley, A. J. Moshayedi, and A. Razi, "Driving Toward Inclusion: A Systematic Review of AI-Powered Accessibility Enhancements for People With Disability in Autonomous Vehicles," *IEEE Access*, vol. 13, pp. 61384–61415, 2025, doi: 10.1109/ACCESS.2025.3555923.

[124] Y. Zhao, W. Wang, Y. Li, C. Colman Meixner, M. Tornatore, and J. Zhang, "Edge Computing and Networking: A Survey on Infrastructures and Applications," *IEEE Access*, vol. 7, pp. 101213–101230, 2019, doi: 10.1109/ACCESS.2019.2927538.

[125] B. Yang, J. Li, and T. Zeng, "A Review of Environmental Perception Technology Based on Multi-Sensor Information Fusion in Autonomous Driving," *World Electr. Veh. J.*, vol. 16, no. 1, p. 20, Jan. 2025, doi: 10.3390/wevj16010020.

[126] K. Kuru, "Planning the Future of Smart Cities With Swarms of Fully Autonomous Unmanned Aerial Vehicles Using a Novel Framework," *IEEE Access*, vol. 9, pp. 6571–6595, 2021, doi: 10.1109/ACCESS.2020.3049094.

[127] M. Sadaf *et al.*, "Connected and Automated Vehicles: Infrastructure, Applications, Security, Critical Challenges, and Future Aspects," *Technologies*, vol. 11, no. 5, p. 117, Sep. 2023, doi: 10.3390/technologies11050117.

[128] U. Hasan, A. Whyte, and H. Al Jassmi, "A Review of the Transformation of Road Transport Systems: Are We Ready for the Next Step in Artificially Intelligent Sustainable Transport?," *Appl. Syst. Innov.*, vol. 3, no. 1, p. 1, Dec. 2019, doi: 10.3390/asi3010001.

[129] H. M. Usman, N. K. Sharma, D. K. Joshi, A. Kaushik, and S. Saminu, "Recent Trends and Future Prospects in Electric Vehicle Technologies: A Comprehensive Review," *Kathmandu Univ. J. Sci. Eng. Technol.*, vol. 18, no. 1, pp. 1–13, Jun. 2024, doi: 10.3126/kuset.v18i1.67501.

[130] X. Zhang, T. Zhang, Y. Zou, G. Du, and N. Guo, "Predictive Eco-Driving Application Considering Real-World Traffic Flow," *IEEE Access*, vol. 8, pp. 82187–82200, 2020, doi: 10.1109/ACCESS.2020.2991538.

[131] T. Campisi, A. Severino, M. A. Al-Rashid, and G. Pau, "The Development of the Smart Cities in the Connected and Autonomous Vehicles (CAVs) Era: From Mobility Patterns to Scaling in Cities," *Infrastructures*, vol. 6, no. 7, p. 100, Jul. 2021, doi: 10.3390/infrastructures6070100.

[132] B. M. Mohsen, "AI-Driven Optimization of Urban Logistics in Smart Cities: Integrating Autonomous Vehicles and IoT for Efficient Delivery Systems," *Sustainability*, vol. 16, no. 24, p. 11265, Dec. 2024, doi: 10.3390/su162411265.

[133] K. C. Dey, A. Rayamajhi, M. Chowdhury, P. Bhavsar, and J. Martin, "Vehicle-to-vehicle (V2V) and vehicle-to-infrastructure (V2I) communication in a heterogeneous wireless network – Performance evaluation," *Transp. Res. Part C Emerg. Technol.*, vol. 68, pp. 168–184, Jul. 2016, doi: 10.1016/j.trc.2016.03.008.

[134] G. E. M. Abro, S. A. B. M. Zulkifli, K. Kumar, N. El Ouanjli, V. S. Asirvadam, and M. A. Mossa, "Comprehensive Review of Recent Advancements in Battery Technology, Propulsion, Power Interfaces, and Vehicle Network Systems for Intelligent Autonomous and Connected Electric Vehicles," *Energies*, vol. 16, no. 6, p. 2925, Mar. 2023, doi: 10.3390/en16062925.

[135] H. Wang, J. Song, and X. Li, "A Survey of Electric Vehicles in Sustainable Systems: Environmental Benefits, Pattern Analysis, and AI-Driven Operation Methodologies," *CHAIN*, vol. 1, no. 3, pp. 177–202, Sep. 2024, doi: 10.23919/CHAIN.2024.000009.

[136] S. M. Hosseinian, H. Mirzahossein, and R. Guzik, "Sustainable Integration of Autonomous Vehicles into Road Networks: Ecological and Passenger Comfort Considerations," *Sustainability*, vol. 16, no. 14, p. 6239, Jul. 2024, doi: 10.3390/su16146239.

[137] G. Gupta *et al.*, "Intelligent Regenerative Braking Control With Novel Friction Coefficient Estimation Strategy for Improving the Performance Characteristics of Hybrid Electric Vehicle," *IEEE Access*, vol. 12, pp. 110361–110384, 2024, doi: 10.1109/ACCESS.2024.3440210.

[138] A. Mushtaq, I. U. Haq, M. U. Imtiaz, A. Khan, and O. Shafiq, "Traffic Flow Management of Autonomous Vehicles Using Deep Reinforcement Learning and Smart Rerouting," *IEEE Access*, vol. 9, pp. 51005–51019, 2021, doi: 10.1109/ACCESS.2021.3063463.

[139] H. Faghihian and A. Sargolzaei, "Energy Efficiency of Connected Autonomous Vehicles: A Review," *Electronics*, vol. 12, no. 19, p. 4086, Sep. 2023, doi: 10.3390/electronics12194086.

[140] D. K. Rajak, P. H. Wagh, and E. Linul, "Manufacturing Technologies of Carbon/Glass Fiber-Reinforced Polymer Composites and Their Properties: A Review," *Polymers (Basel).*, vol. 13, no. 21, p. 3721, Oct. 2021, doi: 10.3390/polym13213721.

[141] A. Hariram, T. Koch, B. Mårdberg, and J. Kyncl, "A Study in Options to Improve Aerodynamic Profile of Heavy-Duty Vehicles in Europe," *Sustainability*, vol. 11, no. 19, p. 5519, Oct. 2019, doi: 10.3390/su11195519.

[142] S. S. A. Naqvi *et al.*, "Evolving Electric Mobility Energy Efficiency: In-Depth Analysis of Integrated Electronic Control Unit Development in Electric Vehicles," *IEEE Access*, vol. 12, pp. 15957–15983, 2024, doi: 10.1109/ACCESS.2024.3356598.

[143] T. N. V. Krishna, S. V. S. V. P. D. Kumar, S. Srinivasa Rao, and L. Chang, "Powering the Future: Advanced Battery Management Systems (BMS) for Electric Vehicles," *Energies*, vol. 17, no. 14, p. 3360, Jul. 2024, doi: 10.3390/en17143360.

[144] J. N. Njoku, E. C. Nkoro, R. M. Medina, C. I. Nwakanma, J.-M. Lee, and D.-S. Kim, "Leveraging Digital Twin Technology for Battery Management: A Case Study Review," *IEEE Access*, vol. 13, pp. 21382–21412, 2025, doi: 10.1109/ACCESS.2025.3531833.

[145] D. N. T. How, M. A. Hannan, M. S. Hossain Lipu, and P. J. Ker, "State of Charge Estimation for Lithium-Ion Batteries Using Model-Based and Data-Driven Methods: A Review," *IEEE Access*, vol. 7, pp. 136116–136136, 2019, doi: 10.1109/ACCESS.2019.2942213.

[146] M. Elmahallawy, T. Elfouly, A. Alouani, and A. M. Massoud, "A Comprehensive Review of Lithium-Ion Batteries Modeling, and State of Health and Remaining Useful Lifetime Prediction," *IEEE Access*, vol. 10, pp. 119040–119070, 2022, doi: 10.1109/ACCESS.2022.3221137.

[147] S. Nasri, N. Mansouri, A. Mnassri, A. Lashab, J. Vasquez, and H. Rezk, "Global Analysis of Electric Vehicle Charging Infrastructure and Sustainable Energy Sources Solutions," *World Electr. Veh. J.*, vol. 16, no. 4, p. 194, Mar. 2025, doi: 10.3390/wevj16040194.

[148] M. Sharif and H. Seker, "Smart EV Charging With Context-Awareness: Enhancing Resource Utilization via Deep Reinforcement Learning," *IEEE Access*, vol. 12, pp. 7009–7027, 2024, doi: 10.1109/ACCESS.2024.3351360.

[149] A. Nikitas, K. Michalakopoulou, E. T. Njoya, and D. Karampatzakis, "Artificial Intelligence, Transport and the Smart City: Definitions and Dimensions of a New Mobility Era," *Sustainability*, vol. 12, no. 7, p. 2789, Apr. 2020, doi: 10.3390/su12072789.

[150] B. Commault, T. Duigou, V. Maneval, J. Gaume, F. Chabuel, and E. Voroshazi, "Overview and Perspectives for Vehicle-Integrated Photovoltaics,"

Appl. Sci., vol. 11, no. 24, p. 11598, Dec. 2021, doi: 10.3390/app112411598.

[151] N. Rigogiannis, I. Bogatsis, C. Pechlivanis, A. Kyritsis, and N. Papanikolaou, "Moving towards Greener Road Transportation: A Review," *Clean Technol.*, vol. 5, no. 2, pp. 766–790, Jun. 2023, doi: 10.3390/cleantechnol5020038.

[152] M. R. H. Mojumder, F. Ahmed Antara, M. Hasanuzzaman, B. Alamri, and M. Alsharef, "Electric Vehicle-to-Grid (V2G) Technologies: Impact on the Power Grid and Battery," *Sustainability*, vol. 14, no. 21, p. 13856, Oct. 2022, doi: 10.3390/su142113856.

[153] M. E. Zamponi and E. Barbierato, "The Dual Role of Artificial Intelligence in Developing Smart Cities," *Smart Cities*, vol. 5, no. 2, pp. 728–755, Jun. 2022, doi: 10.3390/smartcities5020038.

[154] V. N. Skoropad *et al.*, "Dynamic Traffic Flow Optimization Using Reinforcement Learning and Predictive Analytics: A Sustainable Approach to Improving Urban Mobility in the City of Belgrade," *Sustainability*, vol. 17, no. 8, p. 3383, Apr. 2025, doi: 10.3390/su17083383.

[155] M. Massar, I. Reza, S. M. Rahman, S. M. H. Abdullah, A. Jamal, and F. S. Al-Ismail, "Impacts of Autonomous Vehicles on Greenhouse Gas Emissions—Positive or Negative?," *Int. J. Environ. Res. Public Health*, vol. 18, no. 11, p. 5567, May 2021, doi: 10.3390/ijerph18115567.

[156] G. E. M. Abro, Z. A. Ali, and R. J. Masood, "Synergistic UAV Motion: A Comprehensive Review on Advancing Multi-Agent Coordination," *IECE Trans. Sensing, Commun. Control*, vol. 1, no. 2, pp. 72–88, Oct. 2024, doi: 10.62762/TSCC.2024.211408.

[157] A. Mushtaq, I. U. Haq, M. A. Sarwar, A. Khan, W. Khalil, and M. A. Mughal, "Multi-Agent Reinforcement Learning for Traffic Flow Management of Autonomous Vehicles," *Sensors*, vol. 23, no. 5, p. 2373, Feb. 2023, doi: 10.3390/s23052373.

[158] L. V. Nguyen, "Swarm Intelligence-Based Multi-Robotics: A Comprehensive Review," *AppliedMath*, vol. 4, no. 4, pp. 1192–1210, Oct. 2024, doi: 10.3390/appliedmath4040064.

[159] [159]B. Anuraj, D. Calvaresi, J.-M. Aerts, and J.-P. Calbimonte, "Dynamic Swarm Orchestration and Semantics in IoT Edge Devices: A Systematic Literature Review," *IEEE Access*, vol. 12, pp. 116917–116938, 2024, doi: 10.1109/ACCESS.2024.3446876.

[160] "Risk-based route planning and decision making for unmanned aircraft system operations in urban environments," Nanyang Technological University, 2023. doi: 10.32657/10356/170275.

[161] M. Kang, W. Lee, K. Hwang, and Y. Yoon, "Vision Transformer for Detecting Critical Situations and Extracting Functional Scenario for Automated Vehicle Safety Assessment," *Sustainability*, vol. 14, no. 15, p. 9680, Aug. 2022, doi: 10.3390/su14159680.

[162] S. Kolekar, S. Gite, B. Pradhan, and K. Kotecha, "Behavior Prediction of Traffic Actors for Intelligent Vehicle Using Artificial Intelligence Techniques: A Review," *IEEE Access*, vol. 9, pp. 135034–135058, 2021, doi: 10.1109/ACCESS.2021.3116303.

[163] G. Rohith, K. B. Devika, P. P. Menon, and S. C. Subramanian, "Sustainable Heavy Goods Vehicle Electrification Strategies for Long-Haul Road Freight Transportation," *IEEE Access*, vol. 11, pp. 26459–26470, 2023, doi: 10.1109/ACCESS.2023.3257431.

[164] Z. Yang, Z. Li, Z. Yu, W. Sun, and J. Tian, "Optimization of Truck Platoon Size in Freeway Diverging Areas Based on Comprehensive Performance Evaluation," *IEEE Access*, vol. 13, pp. 10299–10310, 2025, doi: 10.1109/ACCESS.2025.3528460.

[165] T. Nguyen *et al.*, "Platooning of Autonomous Public Transport Vehicles: The Influence of Ride Comfort on Travel Delay," *Sustainability*, vol. 11, no. 19, p. 5237, Sep. 2019, doi: 10.3390/su11195237.

[166] A. Fuchs, A. Passarella, and M. Conti, "Compensating for Sensing Failures via Delegation in Human–AI Hybrid Systems," *Sensors*, vol. 23, no. 7, p. 3409, Mar. 2023, doi: 10.3390/s23073409.

[167] R. Ullah, S. H. Ahmed, and B.-S. Kim, "Information-Centric Networking with Edge Computing for IoT: Research Challenges and Future Directions," *IEEE Access*, vol. 6, pp. 73465–73488, 2018, doi: 10.1109/ACCESS.2018.2884536.

[168] H. Zenil, "A Review of Methods for Estimating Algorithmic Complexity: Options, Challenges, and New Directions," *Entropy*, vol. 22, no. 6, p. 612, May 2020, doi: 10.3390/e22060612.

[169] P. Yadav, A. Mishra, and S. Kim, "A Comprehensive Survey on Multi-Agent Reinforcement Learning for Connected and

Automated Vehicles," *Sensors*, vol. 23, no. 10, p. 4710, May 2023, doi: 10.3390/s23104710.

[170] R. Almutairi, G. Bergami, and G. Morgan, "Advancements and Challenges in IoT Simulators: A Comprehensive Review," *Sensors*, vol. 24, no. 5, p. 1511, Feb. 2024, doi: 10.3390/s24051511.

[171] S. M. Williamson and V. Prybutok, "Balancing Privacy and Progress: A Review of Privacy Challenges, Systemic Oversight, and Patient Perceptions in AI-Driven Healthcare," *Appl. Sci.*, vol. 14, no. 2, p. 675, Jan. 2024, doi: 10.3390/app14020675.

[172] V. Chamola, V. Hassija, A. R. Sulthana, D. Ghosh, D. Dhingra, and B. Sikdar, "A Review of Trustworthy and Explainable Artificial Intelligence (XAI)," *IEEE Access*, vol. 11, pp. 78994–79015, 2023, doi: 10.1109/ACCESS.2023.3294569.

[173] F. S. Alrayes, M. Aljebreen, M. Maray, A. Alshuhail, F. A. F. Alrslani, and A. S. Salama, "Optimizing Security Protocol: A Synergy of Bio-Inspired Planet Optimization Algorithm With Ensemble Learning-Based Attack Detection for Connected and Autonomous Vehicles," *IEEE Access*, vol. 12, pp. 173209–173222, 2024, doi: 10.1109/ACCESS.2024.3481070.

[174] A. Louati *et al.*, "Sustainable Smart Cities through Multi-Agent Reinforcement Learning-Based Cooperative Autonomous Vehicles," *Sustainability*, vol. 16, no. 5, p. 1779, Feb. 2024, doi: 10.3390/su16051779.

[175] S. Kumar, S. Datta, V. Singh, D. Datta, S. Kumar Singh, and R. Sharma, "Applications, Challenges, and Future Directions of Human-in-the-Loop Learning," *IEEE Access*, vol. 12, pp. 75735–75760, 2024, doi: 10.1109/ACCESS.2024.3401547.

[176] S. M. Patella, G. Grazieschi, V. Gatta, E. Marcucci, and S. Carrese, "The Adoption of Green Vehicles in Last Mile Logistics: A Systematic Review," *Sustainability*, vol. 13, no. 1, p. 6, Dec. 2020, doi: 10.3390/su13010006.

[177] S. B. Chougule, B. S. Chaudhari, S. N. Ghorpade, and M. Zennaro, "Exploring Computing Paradigms for Electric Vehicles: From Cloud to Edge Intelligence, Challenges and Future Directions," *World Electr. Veh. J.*, vol. 15, no. 2, p. 39, Jan. 2024, doi: 10.3390/wevj15020039.

[178] P. Goktas and A. Grzybowski, "Shaping the Future of Healthcare: Ethical Clinical Challenges and Pathways to Trustworthy AI," *J. Clin. Med.*, vol. 14, no. 5, p. 1605, Feb. 2025, doi: 10.3390/jcm14051605.

[179] D. Garikapati and S. S. Shetiya, "Autonomous Vehicles: Evolution of Artificial Intelligence and the Current Industry Landscape," *Big Data Cogn. Comput.*, vol. 8, no. 4, p. 42, Apr. 2024, doi: 10.3390/bdcc8040042.

[180] L. Butler, T. Yigitcanlar, and A. Paz, "Smart Urban Mobility Innovations: A Comprehensive Review and Evaluation," *IEEE Access*, vol. 8, pp. 196034–196049, 2020, doi: 10.1109/ACCESS.2020.3034596.

[181] D. Metz, "Developing Policy for Urban Autonomous Vehicles: Impact on Congestion," *Urban Sci.*, vol. 2, no. 2, p. 33, Apr. 2018, doi: 10.3390/urbansci2020033.

[182] J. Nur Fadila, N. Haliza Abdul Wahab, A. Alshammari, A. Aqarni, A. Al-Dhaqm, and N. Aziz, "Comprehensive Review of Smart Urban Traffic Management in the Context of the Fourth Industrial Revolution," *IEEE Access*, vol. 12, pp. 196866–196886, 2024, doi: 10.1109/ACCESS.2024.3509572.

[183] A. Biswas *et al.*, "State-of-the-Art Review on Recent Advancements on Lateral Control of Autonomous Vehicles," *IEEE Access*, vol. 10, pp. 114759–114786, 2022, doi: 10.1109/ACCESS.2022.3217213.

[184] F. Alanazi, "A Systematic Literature Review of Autonomous and Connected Vehicles in Traffic Management," *Appl. Sci.*, vol. 13, no. 3, p. 1789, Jan. 2023, doi: 10.3390/app13031789.

[185] "Development of Comprehensive Roadmap and Resource Guide Towards Congestion Reduction," Tampa, FL, Feb. 2025. doi: 10.5038/CUTR-NICR-Y3-4-6.

[186] A. A. Padaria *et al.*, "Traffic Sign Classification for Autonomous Vehicles Using Split and Federated Learning Underlying 5G," *IEEE Open J. Veh. Technol.*, vol. 4, pp. 877–892, 2023, doi: 10.1109/OJVT.2023.3326286.

[187] I. Tomar, I. Sreedevi, and N. Pandey, "State-of-Art Review of Traffic Light Synchronization for Intelligent Vehicles: Current Status, Challenges, and Emerging Trends," *Electronics*, vol. 11, no. 3, p. 465, Feb. 2022, doi: 10.3390/electronics11030465.

[188] E. Namazi, J. Li, and C. Lu, "Intelligent Intersection Management Systems Considering Autonomous Vehicles: A Systematic Literature Review," *IEEE*

Access, vol. 7, pp. 91946–91965, 2019, doi: 10.1109/ACCESS.2019.2927412.

[189] H. U. Ahmed, Y. Huang, P. Lu, and R. Bridgelall, "Technology Developments and Impacts of Connected and Autonomous Vehicles: An Overview," *Smart Cities*, vol. 5, no. 1, pp. 382–404, Mar. 2022, doi: 10.3390/smartcities5010022.

[190] N. V. Martyushev *et al.*, "Review of Methods for Improving the Energy Efficiency of Electrified Ground Transport by Optimizing Battery Consumption," *Energies*, vol. 16, no. 2, p. 729, Jan. 2023, doi: 10.3390/en16020729.

[191] A. Mushtaq, I. ul Haq, W. un Nabi, A. Khan, and O. Shafiq, "Traffic Flow Management of Autonomous Vehicles Using Platooning and Collision Avoidance Strategies," *Electronics*, vol. 10, no. 10, p. 1221, May 2021, doi: 10.3390/electronics10101221.

[192] A. E. Retallack and B. Ostendorf, "Current Understanding of the Effects of Congestion on Traffic Accidents," *Int. J. Environ. Res. Public Health*, vol. 16, no. 18, p. 3400, Sep. 2019, doi: 10.3390/ijerph16183400.

[193] R. Shafique, F. Rustam, S. Murtala, A. D. Jurcut, and G. S. Choi, "Advancing Autonomous Vehicle Safety: Machine Learning to Predict Sensor-Related Accident Severity," *IEEE Access*, vol. 12, pp. 25933–25948, 2024, doi: 10.1109/ACCESS.2024.3366990.

[194] I. Vourgidis, L. Maglaras, A. S. Alfakeeh, A. H. Al-Bayatti, and M. A. Ferrag, "Use of Smartphones for Ensuring Vulnerable Road User Safety through Path Prediction and Early Warning: An In-Depth Review of Capabilities, Limitations and Their Applications in Cooperative Intelligent Transport Systems," *Sensors*, vol. 20, no. 4, p. 997, Feb. 2020, doi: 10.3390/s20040997.

[195] P. Y. Leong and N. S. Ahmad, "LiDAR-Based Obstacle Avoidance with Autonomous Vehicles: A Comprehensive Review," *IEEE Access*, vol. 12, pp. 164248–164261, 2024, doi: 10.1109/ACCESS.2024.3493238.

[196] M. Anshari, M. N. Almunawar, M. Masri, N. L. Fitriyani, and M. Syafrudin, "Autonomous Vehicle Safety through the SIFT Method: A Conceptual Analysis," *Information*, vol. 15, no. 6, p. 357, Jun. 2024, doi: 10.3390/info15060357.

[197] R. Du, S. Chen, Y. Li, M. Alinizzi, and S. Labi, "A Framework for Lane-Change Maneuvers of Connected Autonomous Vehicles in a Mixed-Traffic Environment," *Electronics*, vol. 11, no. 9, p. 1350, Apr. 2022, doi: 10.3390/electronics11091350.

[198] A. Ranjbari, J. Luis Machado-León, G. Dalla Chiara, D. MacKenzie, and A. Goodchild, "Testing Curbside Management Strategies to Mitigate the Impacts of Ridesourcing Services on Traffic," *Transp. Res. Rec. J. Transp. Res. Board*, vol. 2675, no. 2, pp. 219–232, Feb. 2021, doi: 10.1177/0361198120957314.

[199] J. Raiyn and G. Weidl, "Predicting Autonomous Driving Behavior through Human Factor Considerations in Safety-Critical Events," *Smart Cities*, vol. 7, no. 1, pp. 460–474, Feb. 2024, doi: 10.3390/smartcities7010018.

[200] P. Phiayura and S. Teerakanok, "A Comprehensive Framework for Migrating to Zero Trust Architecture," *IEEE Access*, vol. 11, pp. 19487–19511, 2023, doi: 10.1109/ACCESS.2023.3248622.

[201] Z. Allam and A. Sharifi, "Research Structure and Trends of Smart Urban Mobility," *Smart Cities*, vol. 5, no. 2, pp. 539–561, Apr. 2022, doi: 10.3390/smartcities5020029.

[202] A. Tiwari and H. E. Z. Farag, "Responsible AI Framework for Autonomous Vehicles: Addressing Bias and Fairness Risks," *IEEE Access*, vol. 13, pp. 58800–58822, 2025, doi: 10.1109/ACCESS.2025.3556781.

[203] L. Li, J. Zhang, S. Wang, and Q. Zhou, "A Study of Common Principles for Decision-Making in Moral Dilemmas for Autonomous Vehicles," *Behav. Sci. (Basel).*, vol. 12, no. 9, p. 344, Sep. 2022, doi: 10.3390/bs12090344.

[204] L. Ricciardi Celsi and A. Y. Zomaya, "Perspectives on Managing AI Ethics in the Digital Age," *Information*, vol. 16, no. 4, p. 318, Apr. 2025, doi: 10.3390/info16040318.

[205] R. Martin, P. Kusev, J. Teal, V. Baranova, and B. Rigal, "Moral Decision Making: From Bentham to Veil of Ignorance via Perspective Taking Accessibility," *Behav. Sci. (Basel).*, vol. 11, no. 5, p. 66, May 2021, doi: 10.3390/bs11050066.

[206] M. Cooney, M. Shiomi, E. K. Duarte, and A. Vinel, "A Broad View on Robot Self-Defense: Rapid Scoping Review and Cultural Comparison," *Robotics*, vol. 12, no. 2, p. 43, Mar. 2023, doi: 10.3390/robotics12020043.

[207] S. Rezwana and N. Lownes, "Interactions and Behaviors of Pedestrians with Autonomous Vehicles: A Synthesis," *Futur. Transp.*, vol. 4, no. 3,

pp. 722–745, Jul. 2024, doi: 10.3390/futuretransp4030034.

[208] S. Nazat, O. Arreche, and M. Abdallah, "On Evaluating Black-Box Explainable AI Methods for Enhancing Anomaly Detection in Autonomous Driving Systems," *Sensors*, vol. 24, no. 11, p. 3515, May 2024, doi: 10.3390/s24113515.

[209] N. A. Sharma, R. R. Chand, Z. Buksh, A. B. M. S. Ali, A. Hanif, and A. Beheshti, "Explainable AI Frameworks: Navigating the Present Challenges and Unveiling Innovative Applications," *Algorithms*, vol. 17, no. 6, p. 227, May 2024, doi: 10.3390/a17060227.

[210] J. N. Njoku, C. I. Nwakanma, J.-M. Lee, and D.-S. Kim, "Enhancing Security and Accountability in Autonomous Vehicles through Robust Speaker Identification and Blockchain-Based Event Recording," *Electronics*, vol. 12, no. 24, p. 4998, Dec. 2023, doi: 10.3390/electronics12244998.

[211] K. Strandberg, N. Nowdehi, and T. Olovsson, "A Systematic Literature Review on Automotive Digital Forensics: Challenges, Technical Solutions and Data Collection," *IEEE Trans. Intell. Veh.*, vol. 8, no. 2, pp. 1350–1367, Feb. 2023, doi: 10.1109/TIV.2022.3188340.

[212] P. Castka, C. Searcy, and S. Fischer, "Technology-enhanced Auditing in Voluntary Sustainability Standards: The Impact of COVID-19," *Sustainability*, vol. 12, no. 11, p. 4740, Jun. 2020, doi: 10.3390/su12114740.

[213] P. Hacker, "The European AI liability directives – Critique of a half-hearted approach and lessons for the future," *Comput. Law Secur. Rev.*, vol. 51, p. 105871, Nov. 2023, doi: 10.1016/j.clsr.2023.105871.

[214] M. Benyahya, S. Kechagia, A. Collen, and N. A. Nijdam, "The Interface of Privacy and Data Security in Automated City Shuttles: The GDPR Analysis," *Appl. Sci.*, vol. 12, no. 9, p. 4413, Apr. 2022, doi: 10.3390/app12094413.

[215] J. Andraško, O. Hamuľák, M. Mesarčík, T. Kerikmäe, and A. Kajander, "Sustainable Data Governance for Cooperative, Connected and Automated Mobility in the European Union," *Sustainability*, vol. 13, no. 19, p. 10610, Sep. 2021, doi: 10.3390/su131910610.

[216] M. Sverko, T. G. Grbac, and M. Mikuc, "SCADA Systems with Focus on Continuous Manufacturing and Steel Industry: A Survey on Architectures, Standards, Challenges and Industry 5.0," *IEEE Access*, vol. 10, pp. 109395–109430, 2022, doi: 10.1109/ACCESS.2022.3211288.

[217] C. Huang, Z. Zhang, B. Mao, and X. Yao, "An Overview of Artificial Intelligence Ethics," *IEEE Trans. Artif. Intell.*, vol. 4, no. 4, pp. 799–819, Aug. 2023, doi: 10.1109/TAI.2022.3194503.

[218] S.-Y. Chen, H.-Y. Kuo, and C. Lee, "Preparing Society for Automated Vehicles: Perceptions of the Importance and Urgency of Emerging Issues of Governance, Regulations, and Wider Impacts," *Sustainability*, vol. 12, no. 19, p. 7844, Sep. 2020, doi: 10.3390/su12197844.

[219] M. Bekbolatova, J. Mayer, C. W. Ong, and M. Toma, "Transformative Potential of AI in Healthcare: Definitions, Applications, and Navigating the Ethical Landscape and Public Perspectives," *Healthcare*, vol. 12, no. 2, p. 125, Jan. 2024, doi: 10.3390/healthcare12020125.

[220] K. Kuru, "TrustFSDV: Framework for Building and Maintaining Trust in Self-Driving Vehicles," *IEEE Access*, vol. 10, pp. 82814–82833, 2022, doi: 10.1109/ACCESS.2022.3196941.

[221] K. L.-M. Ang, J. K. P. Seng, E. Ngharamike, and G. K. Ijemaru, "Emerging Technologies for Smart Cities' Transportation: Geo-Information, Data Analytics and Machine Learning Approaches," *ISPRS Int. J. Geo-Information*, vol. 11, no. 2, p. 85, Jan. 2022, doi: 10.3390/ijgi11020085.

[222] J. M. Lozano Domínguez and T. J. Mateo Sanguino, "Review on V2X, I2X, and P2X Communications and Their Applications: A Comprehensive Analysis over Time," *Sensors*, vol. 19, no. 12, p. 2756, Jun. 2019, doi: 10.3390/s19122756.

[223] D. G. Costa *et al.*, "A Survey of Emergencies Management Systems in Smart Cities," *IEEE Access*, vol. 10, pp. 61843–61872, 2022, doi: 10.1109/ACCESS.2022.3180033.

[224] M. Vieira, M. A. Vieira, G. Galvão, P. Louro, M. Véstias, and P. Vieira, "Enhancing Urban Intersection Efficiency: Utilizing Visible Light Communication and Learning-Driven Control for Improved Traffic Signal Performance," *Vehicles*, vol. 6, no. 2, pp. 666–692, Apr. 2024, doi: 10.3390/vehicles6020031.

[225] V. Pawar *et al.*, "Intelligent Transportation System With 5G Vehicle-to-Everything (V2X): Architectures, Vehicular Use Cases, Emergency Vehicles, Current Challenges, and Future Directions," *IEEE Access*, vol. 12, pp. 183937–

183960, 2024, doi: 10.1109/ACCESS.2024.3506815.

[226] A. A. Musa, S. I. Malami, F. Alanazi, W. Ounaies, M. Alshammari, and S. I. Haruna, "Sustainable Traffic Management for Smart Cities Using Internet-of-Things-Oriented Intelligent Transportation Systems (ITS): Challenges and Recommendations," *Sustainability*, vol. 15, no. 13, p. 9859, Jun. 2023, doi: 10.3390/su15139859.

[227] S. Abbasi and A. M. Rahmani, "Artificial Intelligence and Software Modeling Approaches in Autonomous Vehicles for Safety Management: A Systematic Review," *Information*, vol. 14, no. 10, p. 555, Oct. 2023, doi: 10.3390/info14100555.

[228] D. Alsadie, "Artificial Intelligence Techniques for Securing Fog Computing Environments: Trends, Challenges, and Future Directions," *IEEE Access*, vol. 12, pp. 151598–151648, 2024, doi: 10.1109/ACCESS.2024.3463791.

[229] K. Naramdeo, S. Madake, P. Patil, and J. Patil, "Intelligent Traffic Management System for Urban Conditions.," Oct. 26, 2024. doi: 10.14293/PR2199.001220.v1.

[230] W. Tong, A. Hussain, W. X. Bo, and S. Maharjan, "Artificial Intelligence for Vehicle-to-Everything: A Survey," *IEEE Access*, vol. 7, pp. 10823–10843, 2019, doi: 10.1109/ACCESS.2019.2891073.

[231] Y. Sanjalawe, S. Fraihat, S. Al-E'Mari, M. Abualhaj, S. Makhadmeh, and E. Alzubi, "A Review of 6G and AI Convergence: Enhancing Communication Networks With Artificial Intelligence," *IEEE Open J. Commun. Soc.*, vol. 6, pp. 2308–2355, 2025, doi: 10.1109/OJCOMS.2025.3553302.

[232] A. Alrajhi, K. Roy, L. Qingge, and J. Kribs, "Detection of Road Condition Defects Using Multiple Sensors and IoT Technology: A Review," *IEEE Open J. Intell. Transp. Syst.*, vol. 4, pp. 372–392, 2023, doi: 10.1109/OJITS.2023.3237480.

[233] M. Aljohani, S. Olariu, A. Alali, and S. Jain, "A Survey of Parking Solutions for Smart Cities," *IEEE Trans. Intell. Transp. Syst.*, vol. 23, no. 8, pp. 10012–10029, Aug. 2022, doi: 10.1109/TITS.2021.3112825.

[234] J. Hou and B. Li, "The Evolutionary Game for Collaborative Innovation of the IoT Industry under Government Leadership in China: An IoT Infrastructure Perspective," *Sustainability*, vol. 12, no. 9, p. 3648, May 2020, doi: 10.3390/su12093648.

[235] Z. Wang, H. Wei, J. Wang, X. Zeng, and Y. Chang, "Security Issues and Solutions for Connected and Autonomous Vehicles in a Sustainable City: A Survey," *Sustainability*, vol. 14, no. 19, p. 12409, Sep. 2022, doi: 10.3390/su141912409.

[236] I. Parvez, A. Rahmati, I. Guvenc, A. I. Sarwat, and H. Dai, "A Survey on Low Latency Towards 5G: RAN, Core Network and Caching Solutions," *IEEE Commun. Surv. Tutorials*, vol. 20, no. 4, pp. 3098–3130, 2018, doi: 10.1109/COMST.2018.2841349.

[237] M. Cavus, D. Dissanayake, and M. Bell, "Next Generation of Electric Vehicles: AI-Driven Approaches for Predictive Maintenance and Battery Management," *Energies*, vol. 18, no. 5, p. 1041, Feb. 2025, doi: 10.3390/en18051041.